



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



LT Power Cables - Aluminium conductor

PRICE LIST JULY - 2017 (Rev. 05 Dated: 08 th Jan 2018)

HAVELLS BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm & balance stranded conductor, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm & balance Aluminium strip, Glavanised wire for cables upto 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip) extruded PVC Type ST2 Outer sheathed, 650/1100V grade as per IS 7098(Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | UN ARMoured | | | | | ARMoured | | | | |
|---------------------|-------------|----------|----------|------------|----------|------------------|----------------|----------------|------------|----------------|
| | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 |
| | A2XY | A2XY | A2XY | A2XY | A2XY | A2XWaY A2XFaY | A2XWY A2XFY | A2XWY A2XFY | A2XFY | A2XWY A2XFY |
| 4 | | 50 | 54 | | 60 | | 77 | 85 | | 98 |
| 6 | | 57 | 64 | | 76 | | 90 | 99 | | 112 |
| 10 | | 67 | 83 | | 100 | | 107 | 125 | | 143 |
| 16 | 39 | 83 | 106 | | 130 | 70 | 126 | 133 | | 159 |
| 25 | 51 | 106 | 145 | 166 | 177 | 85 | 129 | 168 | 189 | 205 |
| 35 | 63 | 134 | 185 | 211 | 234 | 102 | 159 | 213 | 239 | 266 |
| 50 | 83 | 172 | 243 | 280 | 308 | 124 | 198 | 269 | 311 | 343 |
| 70 | 110 | 231 | 336 | 386 | 429 | 158 | 265 | 362 | 422 | 465 |
| 95 | 150 | 310 | 415 | 480 | 538 | 179 | 340 | 449 | 510 | 567 |
| 120 | 187 | 370 | 513 | 603 | 670 | 214 | 405 | 538 | 637 | 695 |
| 150 | 227 | 449 | 635 | 727 | 832 | 254 | 489 | 663 | 754 | 856 |
| 185 | 279 | 562 | 790 | 915 | 1033 | 311 | 609 | 810 | 941 | 1063 |
| 240 | 350 | 746 | 1010 | 1166 | 1323 | 381 | 793 | 1036 | 1184 | 1357 |
| 300 | 429 | 921 | 1242 | 1433 | 1618 | 464 | 966 | 1252 | 1452 | 1635 |
| 400 | 563 | 1180 | 1560 | 1807 | 2041 | 583 | 1216 | 1592 | 1848 | 2078 |
| 500 | 670 | 1485 | 2033 | 2349 | 2650 | 798 | 1609 | 2156 | 2513 | 2820 |
| 630 | 799 | 1872 | 2693 | 3185 | 3576 | 932 | 2025 | 2859 | 3414 | 3816 |
| 800 | 1119 | | | | | 1285 | | | | |
| 1000 | 1316 | | | | | 1482 | | | | |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | | Cable Size (Sq.mm) | FRLS Loading Factor | | | LSZH Loading | |
|-------------------------------------|--------|--------------------|---------------------|--------------|---------|--------------|--------------|
| | | | Inner Sheath | Outer Sheath | | Inner Sheath | Outer Sheath |
| | | | | Armd. | Unarmd. | | |
| a) Round Wire Armouring | | | | | | | |
| - 2 x 16 & above | 25.00% | | | | | | |
| - 3 x 16 & 3.5CX25 & above | 25.00% | | | | | | |
| - 4 x 10 & above | 25.00% | | | | | | |
| - For Single core 95 & above | 25.00% | | | | | | |
| b) Stranding 10 sq.mm and below | 10.00% | | | | | | |
| c) Extruded PVC Innersheath Up 50 | 5.00% | | | | | | |
| Extruded PVC Innersheath 70 & Above | 2.50% | | | | | | |
| d) HR PVC Insulation | 10.00% | | | | | | |
| e) HR PVC Inner Sheath | 5.00% | | | | | | |
| f) HR PVC Outer Sheath | 5.00% | | | | | | |
| g) Oxygen Index (FR) | 2.50% | | | | | | |
| h) PVC Insulated Cables | 8.00% | | | | | | |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



LT Power and Control Cables - Copper conductor

PRICE LIST JULY - 2017 (Rev. 05 Dated: 08 th Jan 2018)

HAVELLS BRAND Power/Control Copper Cables, Solid Copper conductor upto 6 sqmm & balance Stranded Copper, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 10x1.5 sqmm, 8x2.5 sqmm, 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip), extruded PVC Type ST2 Outer Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | UN ARMoured | | | | | ARMoured | | | | |
|---------------------|-------------|----------|----------|------------|----------|----------------|--------------|--------------|------------|--------------|
| | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 |
| | 2XY | 2XY | 2XY | 2XY | 2XY | 2XWwY 2XFaY | 2XWY 2XFY | 2XWY 2XFY | 2XFY | 2XWY 2XFY |
| 4 | | 112 | 158 | | 204 | | 139 | 180 | | 228 |
| 6 | | 159 | 225 | | 294 | | 186 | 248 | | 318 |
| 10 | | 263 | 370 | | 487 | | 295 | 397 | | 511 |
| 16 | 190 | 375 | 549 | | 725 | 206 | 421 | 561 | | 737 |
| 25 | 294 | 575 | 862 | 1041 | 1140 | 340 | 642 | 920 | 1108 | 1211 |
| 35 | 405 | 797 | 1192 | 1372 | 1580 | 461 | 877 | 1266 | 1453 | 1670 |
| 50 | 554 | 1090 | 1636 | 1914 | 2167 | 623 | 1191 | 1726 | 2017 | 2286 |
| 70 | 789 | 1550 | 2336 | 2724 | 3126 | 877 | 1686 | 2450 | 2855 | 3274 |
| 95 | 1059 | 2157 | 3245 | 3789 | 4346 | 1233 | 2421 | 3519 | 4111 | 4710 |
| 120 | 1337 | 2714 | 4083 | 4863 | 5483 | 1550 | 3036 | 4423 | 5268 | 5928 |
| 150 | 1670 | 3387 | 5106 | 5887 | 6853 | 1928 | 3787 | 5520 | 6366 | 7399 |
| 185 | 2057 | 4175 | 6291 | 7358 | 8442 | 2372 | 4659 | 6792 | 7941 | 9099 |
| 240 | 2650 | 5384 | 8119 | 9466 | 10896 | 3046 | 5991 | 8750 | 10200 | 11729 |
| 300 | 3302 | 6716 | 10124 | 11808 | 13591 | 3797 | 7462 | 10894 | 12706 | 14614 |
| 400 | 4343 | 8817 | 13294 | 15383 | 17857 | 4975 | 9783 | 14296 | 16530 | 19174 |
| 500 | 5483 | | | | | 6278 | | | | |
| 630 | 6907 | | | | | 7901 | | | | |
| 800 | 8765 | | | | | 10011 | | | | |
| 1000 | 10952 | | | | | 12496 | | | | |

CONTROL CABLES

(Rate in Rs. Per Metre)

| Number of Cores | UN ARMoured 2XY | | ARMoured - 2XWY/2XFY | | No. of Cores | UN ARMoured 2XY | | ARMoured - 2XWY/2XFY | |
|-----------------|-----------------|-----|----------------------|-----|--------------|-----------------|------|----------------------|------|
| | 1.5 | 2.5 | 1.5 | 2.5 | | 1.5 | 2.5 | 1.5 | 2.5 |
| | | | | | | | | | |
| 2 | 58 | 82 | 82 | 107 | 14 | 273 | 425 | 337 | 468 |
| 3 | 72 | 106 | 100 | 134 | 16 | 310 | 487 | 349 | 528 |
| 4 | 90 | 135 | 119 | 168 | 19 | 365 | 574 | 404 | 618 |
| 5 | 108 | 161 | 140 | 201 | 24 | 461 | 723 | 506 | 775 |
| 6 | 127 | 192 | 160 | 233 | 27 | 516 | 809 | 565 | 863 |
| 7 | 144 | 221 | 177 | 264 | 30 | 590 | 926 | 647 | 995 |
| 8 | 167 | 252 | 201 | 296 | 37 | 721 | 1136 | 789 | 1214 |
| 10 | 201 | 311 | 257 | 347 | 44 | 855 | 1365 | 957 | 1503 |
| 12 | 237 | 369 | 296 | 406 | 61 | 1176 | 1876 | 1307 | 2048 |

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

| | | | |
|------------------------------|--------|--|----------------|
| A) Tinning | 3.00% | E) OXYGEN INDEX (FR) | 2.50% |
| B) Stranding (Upto 6 SQ.MM) | 4.00% | F) HR PVC INSULATION | 7.00 |
| | | G) HR PVC I.SH/O/SH. | 5.00% (Each) |
| C) Extruded Innersheath | 2.50% | H) FRLS Loading-Power Cable (upto 6 sq.mm) | 7.50% |
| | | I) FRLS Loading-Power Cable(10sq.mm & above) | 4.00% |
| D) Round Wire Armouring | | J) PVC Insulated Cables | 5% |
| 1C x 95 sq. mm & above | 7.50% | | |
| 1.5 sq.mm - 12 core & above | 15.00% | | |
| 2.5 sq.mm - 9 core & above | 15.00% | | |
| 10 sq.mm - 4 core & above | 15.00% | | |
| 16 sq.mm - 2 core & above | 15.00% | | |
| 16 sq.mm - 3 core & above | 15.00% | | |

| FRLS Loading Factor- Control Cable | | | | LSZH Loading | |
|------------------------------------|--------------|--------------|--------|--------------|--------------|
| Cores | Inner Sheath | Outer Sheath | | Inner Sheath | Outer Sheath |
| | | Armoured | Unarmd | | |
| 2 - 4 | 5.0% | 6.0% | 6.0% | 15.0% | 15.0% |
| 5 - 10 | 5.0% | 4.0% | 4.0% | 15.0% | 15.0% |
| 12 & Above | 5.0% | 4.0% | 4.0% | 12.5% | 12.5% |

• The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

• This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



HT Single Core Power Cables - Aluminium conductor

PRICE LIST JULY - 2017 (Rev. 05 Dated: 08 th Jan 2018)

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL ROUND WIRE ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XWαY | | | | | | |
|---------------------|-------------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV E/UE | 6.6 KV (E) | 6.6 KV (UE) 11 KV(E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 35 | | | 247 | | | | |
| 50 | | | 273 | | | | |
| 70 | 286 | 293 | 311 | | | | |
| 95 | 323 | 328 | 347 | 453 | 470 | 626 | |
| 120 | 365 | 369 | 393 | 522 | 528 | 690 | |
| 150 | 407 | 413 | 432 | 566 | 575 | 720 | 853 |
| 185 | 469 | 480 | 517 | 657 | 673 | 800 | 935 |
| 240 | 579 | 590 | 648 | 755 | 774 | 905 | 1110 |
| 300 | 671 | 689 | 759 | 851 | 872 | 1061 | 1223 |
| 400 | 803 | 835 | 906 | 1007 | 1030 | 1212 | 1399 |
| 500 | 1012 | 1061 | 1098 | 1259 | 1259 | 1489 | 1616 |
| 630 | 1254 | 1276 | 1310 | 1494 | 1494 | 1744 | 1890 |
| 800 | 1554 | 1567 | 1590 | 1745 | 1745 | 1997 | 2271 |
| 1000 | 1874 | 1882 | 2070 | 2271 | 2271 | 2429 | 2610 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|------|
| 1) FRLS PVC Inner Sheath | 7.5% |
| 2) FRLS PVC Outer Sheath | 5% |
| 3) Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



HT Single Core Power Cables - Aluminium conductor

PRICE LIST JULY - 2017 (Rev. 05 Dated: 08 th Jan 2018)

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XFaY | | | | | | |
|---------------------|-------------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV E/UE | 6.6 KV (E) | 6.6 KV (UE) 11 KV(E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 35 | | | 235 | | | | |
| 50 | | | 259 | | | | |
| 70 | 272 | 278 | 297 | | | | |
| 95 | 308 | 311 | 330 | 429 | 446 | 595 | |
| 120 | 347 | 350 | 372 | 497 | 502 | 655 | |
| 150 | 386 | 392 | 408 | 538 | 547 | 684 | 811 |
| 185 | 445 | 457 | 490 | 624 | 641 | 761 | 888 |
| 240 | 550 | 561 | 617 | 718 | 736 | 860 | 1054 |
| 300 | 637 | 654 | 720 | 809 | 827 | 1007 | 1162 |
| 400 | 763 | 794 | 862 | 958 | 980 | 1152 | 1329 |
| 500 | 961 | 1007 | 1044 | 1197 | 1197 | 1414 | 1534 |
| 630 | 1192 | 1212 | 1244 | 1421 | 1421 | 1657 | 1796 |
| 800 | 1477 | 1490 | 1511 | 1658 | 1658 | 1898 | 2159 |
| 1000 | 1781 | 1788 | 1965 | 2159 | 2159 | 2314 | 2479 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|------|
| 1) FRLS PVC Inner Sheath | 7.5% |
| 2) FRLS PVC Outer Sheath | 5% |
| 3) Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



HT Three Core Power Cables - ALuminium conductor

PRICE LIST JULY - 2017 (Rev. 05 Dated: 08 th Jan 2018)

HAVELLS BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, CORES LAID UP, INNERSHEATH OF PVC, **GALVANISED STEEL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART-2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | A2XFY | | | | | | |
|---------------------|---------------|------------|--------------------------|------------|-----------|-----------|------------|
| | 3.3 KV (E/UE) | 6.6 KV(E) | 6.6 KV (UE) 11 KV (E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| | | | | | | | |
| 35 | | | 554 | | | | |
| 50 | | | 626 | | | | |
| 70 | 652 | 697 | 744 | | | | |
| 95 | 790 | 830 | 881 | 1139 | 1185 | 1580 | |
| 120 | 929 | 968 | 1016 | 1324 | 1353 | 1803 | |
| 150 | 1049 | 1092 | 1135 | 1463 | 1492 | 1909 | 2267 |
| 185 | 1236 | 1260 | 1321 | 1636 | 1673 | 2108 | 2511 |
| 240 | 1464 | 1525 | 1584 | 1925 | 1960 | 2412 | 2847 |
| 300 | 1730 | 1819 | 1843 | 2213 | 2248 | 2709 | 3175 |
| 400 | 2103 | 2274 | 2316 | 2602 | 2648 | 3136 | 3651 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|---|-------|
| 1) Extruded PVC Inner Sheath | 3% |
| 2) Pressure Extruded PVC Innersheath | 13% |
| 3) Round Wire Armouring - Up to 11 KV (E) | 25% |
| 11 KV (UE) & Above | 27.5% |
| 4) FRLS PVC Inner Sheath | 5.0% |
| 5) FRLS PVC Outer Sheath | 5% |
| 6) FR Sheath with Oxygen Index | 3% |

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.