

## Soluflex cable floor system

37 mm height

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Tile

84000 10	Supplied with 4 contact/ distance projections Can be positioned on supports Cat.No 84037 00	444	1
----------	--	-----	---

#### Support for tile

84037 00	100 x 100 mm support Height 37 mm With 2 grooves for tiles positioning Black - polypropylene	80	1
----------	--	----	---

#### Edge plates

Used to finish installation against wall  
Length 900 mm, width 300 mm  
Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3432	1
84000 61	Single edge plate 1 flange of 13 mm	2654	1

#### Plenum sealing

84037 20	For edging the floor to create a step length 900 mm, width 56 mm, height 37 mm	1684	1
----------	---	------	---

#### Plenum exterior angle

84037 30	56 x 56 mm	2460	1
----------	------------	------	---

#### Ramp

84037 40	Length 400 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	2394	1
----------	--	------	---

#### Earthing tile

84000 20	Supplied with 4 contact/ distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in hallways max. 14 m apart	1460	1
----------	--	------	---

#### Cable outlet tile

84000 30	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/ distance projections	2180	1
----------	---	------	---

#### Chromed outlet grommet

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
----------	---	------	---

#### Outlet tile

84000 40	Supplied with 4 contact/ distance projections For integration of columns, pedestals+cable spine or chrome outlet grommet Cat.No 81902 32	2288	1
----------	---	------	---

\*LP - List Price Inclusive of excise duty but exclusive of sales tax  
or any other taxes.

Red Cat.Nos - new products

## Soluflex cable floor system

37 mm height

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Fixing brackets

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
----------	--	------	---

#### Built-in units to be equipped

225x225 mm, Height 37 mm  
(accessory outlet rises to 71 mm)

84037 50	For 2 x 2 module Arteor power sockets Provided with connection terminal	9066	1
84037 51	For up to 4 x 1 module Arteor data sockets	7772	1

#### Cable worm

0535 98	2 compartments: power and data length: 0.75 m, colour: white	3732	1
---------	--	------	---

## Soluflex cable floor system

60 mm height

### Floor parts

#### Tile

84000 10	Supplied with 4 contact/ distance projections Can be positioned on supports Cat.No 84060 00	444	1
----------	--	-----	---

#### Support for tile

84060 00	100 x 100 mm support Height 60 mm With 2 grooves for tiles positioning Black - polypropylene	98	1
----------	--	----	---

#### Edge plates

Used to finish installation against wall  
Length 900 mm, width 300 mm, Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3432	1
84000 61	Single edge plate 1 flange of 13 mm	2654	1

#### Plenum sealing

84060 20	For edging the floor to create a step length 900 mm, width 56 mm, height 60 mm	1750	1
----------	---	------	---

#### Plenum exterior angle

84060 30	56 x 56 mm	2590	1
----------	------------	------	---

#### Ramp

84060 40	Length 616 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	3500	1
----------	---	------	---

#### Earthing tile

84000 20	Supplied with 4 contact/ distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in hallways max. 14 m apart	1460	1
----------	--	------	---

Bold Cat.Nos are products normally available with Legrand (India) Stockists.  
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.  
Bold packing quantity is our mandatory packing. Orders to be placed by  
Legrand (India) Stockiest in multiples of the same.

## Soluflex cable floor system

60 mm height

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Cable outlet tile

84000 30	Cable outlet tile For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2180	1
----------	---	------	---

#### Chromed outlet grommet

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
----------	---	------	---

#### Outlet tile

84000 40	Supplied with 4 contact/distance projections For integration of columns, pedestals + cable spine or chrome outlet grommet Cat.No 81902 32	2288	1
----------	--	------	---

#### Fixing brackets

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
----------	--	------	---

#### Fully submerged units to be equipped

To be combined with cable outlet tile Cat.No 84000 30

84060 72	For 2 x 2 module Arteor power socket Provided with connection terminal	6476	1
84060 73	For 4 x 1 module Arteor data sockets	3240	1

#### Cable worm

0535 98	2 compartments: power and data, length: 0.75 m, colour: white	3732	1
---------	---	------	---

## Soluflex cable floor system

90 mm height

### Floor parts

#### Tile

84000 10	Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84090 00	444	1
----------	---	-----	---

#### Support for tile

84090 00	100 x 100 mm support Height 90 mm With 2 grooves for tiles positioning Black - polypropylene	114	1
----------	---	-----	---

#### Edge plates

Used to finish installation against wall  
Length 900 mm, width 300 mm, Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3432	1
84000 61	Single edge plate 1 flange of 13 mm	2654	1

## Soluflex cable floor system

90 mm height

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Plenum sealing

84090 20	For edging the floor to create a step Length 900 mm, width 56 mm, height 90 mm	1858	1
----------	---	------	---

#### Plenum exterior angle

84090 30	56 x 56 mm	2788	1
----------	------------	------	---

#### Ramp

84090 40	Length 898 mm, width 112 mm, Ramp 10 % Include 1 extra support per tile	5506	1
----------	--	------	---

#### Earthing tile

84000 20	Earthing tile Supplied with 4 contact/distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in hallways max. 14 m apart	1460	1
----------	--	------	---

#### Cable outlet tile

84000 30	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2180	1
----------	--	------	---

#### Chromed outlet grommet

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
----------	---	------	---

#### Outlet tile

84000 40	Supplied with 4 contact/distance projections For integration of columns, pedestals+ cable spine or chrome outlet grommet Cat.No 81902 32	2288	1
----------	---	------	---

#### Fixing brackets

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
----------	--	------	---

#### Floor box tile

450 x 450 mm

For lid + trim assemblies

84090 82	For 3-compartment floor boxes (square opening 265 x 265 mm)	5540	1
----------	---	------	---

#### Cable worm

0535 98	2 compartments: power and data, Length: 0.75 m Colour: white	3732	1
---------	---	------	---

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Soluflex cable floor system

120 mm height

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor parts

#### Tile

84000 10	Supplied with 4 contact/ distance projections Can be positioned on supports Cat.No 84120 00	444	1
----------	--	-----	---

#### Support for tile

84120 00	100 x 100 mm support Height 120 mm With 2 grooves for tiles positioning Black - polypropylene	226	1
----------	---	-----	---

#### Edge plates

Used to finish installation against wall  
Length 900 mm, width 300 mm, Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3432	1
84000 61	Single edge plate 1 flange of 13 mm	2654	1

#### Plenum sealing

84120 20	For edging the floor to create a step Length 900 mm, width 56 mm Height 120 mm	1922	1
----------	--	------	---

#### Plenum exterior angle

84120 30	56 x 56 mm	2916	1
----------	------------	------	---

#### Ramp

84120 40	Length 1181 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	5942	1
----------	---	------	---

#### Earthing tile

84000 20	Supplied with 4 contact/ distance projections Earthing clamp max. 6 mm <sup>2</sup> Use 1 tile per 100 m <sup>2</sup> or in gangways max. 14 m apart	1460	1
----------	--	------	---

#### Cable outlet tile

84000 30	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/ distance projections	2180	1
----------	---	------	---

## Soluflex cable floor system

120 mm height

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Chromed outlet grommet

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3496	1
----------	---	------	---

### Outlet tile

84000 40	Supplied with 4 contact/ distance projections For integration of columns, pedestals+cable spine or chrome outlet grommet Cat.No 81902 32	2288	1
----------	---	------	---

### Floor parts

#### Fixing brackets

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1648	1
----------	--	------	---

### Floor box tile

450 x 450 mm  
For lid + trim assemblies

84090 82	For 3-compartment floor boxes (square opening 265 x 265 mm)	5540	1
----------	--	------	---

### Cable worm

0535 98	2 compartments: power and data Length: 0.75 m Colour: white	3732	1
---------	--	------	---

## Raceways and junction boxes

For screed floors

Confirms to EN 50 085 - 2 - 2  
Raceways are made from PVC and Galvanised sheet.  
Compatible with Cat.6 structured cabling system.

### Raceways - PVC

Raceway - PVC - height 25 mm;  
Standard length 2 meters\*  
Price per meter

Can be assembled to obtain multiple compartment  
configurations

6897 00	75 mm x 25 mm - 1 compartment 150 mm x 25 mm - 2 compartments, use 2x Cat.No 6897 00	856	2/18
6897 01	225 mm x 25 mm - 3 compartments 300 mm x 25 mm - 4 compartments raceways use 1x Cat.No 6897 00 + 1x Cat.No 6897 01	1620	2/80

\*LP - List Price Inclusive of excise duty but exclusive of sales tax  
or any other taxes.

Red Cat.Nos - new products

\*No of meters in pack

\*To be ordered in multiples of 2 meters

Bold Cat.Nos are products normally available with Legrand (India) Stockists.  
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.  
Bold packing quantity is our mandatory packing. Orders to be placed by  
Legrand (India) Stockiest in multiples of the same.

## Raceways and junction boxes for screed floors

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Raceways - PVC

**Raceways - PVC - height 38 mm;  
Standard length 2 meters\***  
Price per meter

0896 67	50 mm x 38 mm - 1 compartment	816	12
0896 68	100 mm x 38 mm - 2 compartments	1528	16
0896 69	150 mm x 38 mm - 3 compartments	2294	10

### Raceways - Metal / GI

**Raceways - Metal/GI - height 25 mm; length 2.44 m.  
Price per unit (One unit is of 2.44 meters)**

6895 10	50 mm x 25 mm - 1 compartment	1486	3/54 <sup>(1)</sup>
6895 11	75 mm x 25 mm - 1 compartment	1912	3/21 <sup>(1)</sup>
6895 12	100 mm x 25 mm - 1 compartment	2322	3/54 <sup>(1)</sup>
6895 13	150 mm x 25 mm - 1 compartment	3218	3/18 <sup>(1)</sup>
6895 14	225 mm x 25 mm - 3 compartments	5042	3/12 <sup>(1)</sup>
6895 15	300 mm x 25 mm - 3 compartments	6244	3/18 <sup>(1)</sup>

**Raceways - Metal/GI - height 38 mm; length 2.44 m  
Price per unit (One unit is of 2.44 meters)**

6895 00	50 mm x 38 mm - 1 compartment	1722	3/54 <sup>(1)</sup>
6895 01	75 mm x 38 mm - 1 compartment	2278	3/21 <sup>(1)</sup>
6895 02	100 mm x 38 mm - 1 compartment	2756	3/54 <sup>(1)</sup>
6895 03	150 mm x 38 mm - 1 compartment	3698	3/36 <sup>(1)</sup>
6895 04	225 mm x 38 mm - 3 compartments	5594	3/12 <sup>(1)</sup>
6895 05	300 mm x 38 mm - 3 compartments	6858	3/18 <sup>(1)</sup>

### Raceways accessories

#### Fixing bracket (GI)

For fixing raceways (PVC & Metal) on the floor

6897 09	50 mm x 25 mm (metal)	22	9
6897 10	75 mm x 25 mm (PVC and metal)	38	9
6897 12	100 mm x 25 mm (metal)	46	9
6897 15	150 mm x 25 mm (PVC and metal)	58	9
6897 20	225 mm x 25 mm (PVC and metal)	80	9
6897 30	300 mm x 25 mm (PVC and metal)	108	9

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\*No of meters in pack

(1) Unit of measure in Nos

\*To be ordered in multiples of 2 meters

## Raceways and junction boxes for screed floors

**NEW !**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Fixing bracket

6897 27	50 mm x 38 mm (PVC and metal)	24	9
6897 28	75 mm x 38 mm (metal)	44	9
6897 37	100 mm x 38 mm (PVC and metal)	52	9
6897 38	150 mm x 38 mm (PVC and metal)	64	9
6897 25	225 mm x 38 mm (metal)	100	9
6897 35	300 mm x 38 mm (metal)	124	9

### Riser

6897 23	Vertical - 225 mm width raceways	1716	1
6897 33	Vertical - for 300 mm width raceways	1978	1

### Coupler for joining raceways

6897 77	Coupling 38	104	6
6897 79	Coupling 25	78	6

### Junction box

For direct access to cables at the intersection of raceways  
Supplied completely with base and cover plate (Lid)

#### Height adjustable junction box 65 - 90 mm

6896 10	150 x 150 x 65 - 90 mm	1874	1
6896 11	225 x 225 x 65 - 90 mm	2324	1
6896 12	300 x 300 x 65 - 90 mm	3122	1
6896 13	400 x 400 x 65 - 90 mm	4636	1

#### Height adjustable junction box 65 - 90 mm with fly over

For direct access to cables at the intersection of floor raceways while maintaining perfect separation and 90° cross overs between data and power cables

6896 14	225 x 225 x 65 - 90 mm with flyover	2552	1
6896 15	300 x 300 x 65 - 90 mm with flyover	3404	1
6896 16	400 x 400 x 65 - 90 mm with flyover	5100	1

#### Optional site cover for junction box

6896 18	150 x 150 x 65 - 90 mm with metal cover	210	10
6896 19	225 x 225 x 65 - 90 mm with metal cover	304	10
6896 20	300 x 300 x 65 - 90 mm with metal cover	464	10
6896 21	400 x 400 x 65 - 90 mm with metal cover	698	10

#### Height adjustable junction box 50 - 70 mm

6896 22	Adj JB 150 x 150 x 50-70 mm	1728	1
6896 23	Adj JB 225 x 225 x 50-70 mm	2122	1
6896 24	Adj JB 300 x 300 x 50-70 mm	2824	1
6896 25	Adj JB 400 x 400 x 50-70 mm	4234	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Floor boxes for carpet for raised floor, screed floor

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Floor boxes for raised floor

6896 38	Full backbox for raised floor 3 compartments (264x264 mm) height 86 mm	2950	1
6896 31	Lid & trim Grey cover RAL 7031 for 3 compartment floor box with flexible cable exits Size 265 mm x 265 mm	2214	5

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	200	1
6896 78	Waved support plates. For 4 modules (2 x 2 modules)	1166	4

### Floor boxes for screed floor (3 Compartment)

6896 34*	Full backbox for screed floor 3 compartments (for ducting upto 225 mm). Height adjustable to screed height 65 to 90 mm	4572	1
6896 31*	Lid & trim Grey cover RAL 7031 for 3 compartment floor box with flexible cable exits. Size 265 mm x 265 mm	2214	5

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	200	1
6896 78	Waved support plates for 4 modules (2x2 modules)	1166	4

### Floor boxes for screed floor (4 Compartment)

6896 45	Full backbox for screed floor 4 compartments (for ducting upto 300 mm). Height adjustable to screed height 65 to 90 mm. To be used with 6896 45	5088	1
6896 41	Lid & trim Grey cover RAL 1019 for 4 compartment floor box with flexible cable exits. To be used with 6896 41	2446	5

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	200	1
6896 78	Waved support plates for 4 modules (2x2 modules)	1166	4

### Stainless steel insert for Lid

For a metal finish on lid  
To be used instead of fitting carpet onto the Lid

6896 92	For 3 compartment floor boxes dimension : 245.5x210 mm	2750	1
---------	---	------	---

## Floor boxes for tile / marble For screed floor

0896 04	Backbox for screed floor; Screed thickness 65 to 90 mm	3942	1
6896 52	Lid & trim for tiles / marble 15 to 22 mm thickness Stainless steel material AISI 304. 2 cable outlet	19160	1

## Floor boxes for tile / marble for screed floor

**NEW!**

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### For screed floor

6896 55	Lid & Trim for tile 8-15 mm thickness Material for head band & single cable outlet - galvanised steel + paint RAL 7031	5252	1
6896 56	Lid & Trim for tile 8-15 mm thickness Material for head band & single cable outlet - stainless steel 304	6404	1

### Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box.	422	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor	200	1
6896 78	Waved support plates. For 4 Modules (2x2 Modules) mechanisms	1166	4

### 50mm reduced height floor boxes

0880 73	Back Box for Concrete Floor (to be used with 088070)	5828	1
0880 70	Lid and Trim for Screed Floor between 50 and 70 mm. With Cover for carpet; grey RAL 7031 Can be equipped with SS finishing plate 088072 16 Module	5754	1
0880 72	Stainless Steel finishing plate for 50 mm floor box	3586	1

## Floor boxes 3 module for screed floor and raised floor

### Floor service outlet boxes - 3 modules

0896 44	Floor service outlet box - 3 modules. Grey RAL 7031. To be equipped with Arteor Mechanism	1218	1
0896 49	Flush mounting box for concrete for Cat.No 0896 44	812	1

### IP 66 Floor box - 4 module

Conform to EN 60-670-1 and EN 60670-23 standards (when lid is closed) / IP55 (with cable exit accessory Cat.No 088062)

0880 60	IP66/IK09 screwed brass floor box (with removable lid); can be equipped with cable exit accessory Cat.No 0880 62	13288	1
0880 61	IP66/IK09 screwed stainl. steel floor box (with removable lid); can be equipped with cable exit accessory Cat.No 0880 62	13288	1
0880 63	IP66/IK09 hinged cover brass floor box	15988	1
0880 64	IP66/IK09 hinged cover stainl. steel floor box	15988	1
0880 69	Auto adjustable back box for installing IP66 floor boxes in concrete floors; supplied with cover; accepts conduit dia 20mm; min screed height 65 mm	2550	1
0880 62	IP55 cable exit accessory	14664	1

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\*6896 34 + 6896 31 with support plates and wiring devices

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.



**NEW !**

## Heavy duty in-screed floor box for screed floors

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Metal in-screed floor box

0896 34	Universal metal in-screed backbox	16006	1
---------	-----------------------------------	-------	---

### Accessories for metal in-screed floor box

0896 83	Normal load support upto 8 KN load with deflection <6 mm	16006	1
0896 84	Heavy load support upto 20 KN load with deflection <3 mm	27062	1

### Plates for metal in-screed floor boxes

0896 85	IP 66 plain cover (cover closed) access trap for junction. No cable exit	27830	1
---------	--	-------	---

### Heavy duty in screed floor box with cable exit

0896 34	Metal in-screed floor box	16006	1
---------	---------------------------	-------	---

### Accessories for metal in screed floor box

0896 83	Normal load support upto 8 KN load with deflection <6 mm	16006	1
0896 84	Heavy load support up to 20 KN load with deflection <3 mm	27062	1

### Plates for metal in-screed floor boxes

0896 86	IP 66 plate (cover closed and plugs not connected) with central cable exit	55712	1
0896 87	IP 14 Cable exit accessory for IP66 cover plate Cat.No 0896 86 be used as a simple access to the floor void	29772	1

### Over Floor Trunking

Conform to std EN 50085-2-2; For creating a link between trunking, column, mini-column, floor units or protecting cables on passageways Supplied with cover

0300 92	Over floor trunking 50x12 mm; length 2 m, supplied with cover; 3 Compartments; Capacity 1: Max Dia 9 mm, Capacity 2: Max Dia 6 mm; ral 7030	390	54
0300 11	Flat angle/floor 50X12	156	10
0300 12	Cover joint/floor 50X12	196	10
0300 93	Over floor trunking 75x18 mm; length 2 m, supplied with cover; 3 compartments; 1: max dia 14mm, capacity 2: max dia 11mm; ral 7030	538	36
0300 18	Flat angle/floor 75X18	296	10
0300 19	Cover joint/floor 50X12	206	10
0328 00	Over floor trunking 92x20 mm; Length 2 m, supplied with cover; 4 Compartments, equipped with 2 adhesive strips for better floor fixing; capacity 1: max. Ø14.5 mm; capacity 2: max. Ø9.5 mm; ral 7016	988	20
0328 07	End cap for floor duct 92x20	172	10
0328 03	Cover joint for floor duct 92x20	232	10
0328 02	Flat angle for floor duct 92x2	426	5

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\*No of meters in pack

(1) Unit of measure in Nos

\*To be ordered in multiples of 2 meters

**NEW !**

## Floor access unit For raised floors

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

### IP 20 - IK 08

0893 07	Access master box circular floor box that can be used as a simple access to the floor void	5688	1
---------	--	------	---

## Pop-up type flush-mounting boxes for workstation & meeting room table applications

### Pop-up boxes to be equipped

Slim design for perfect integration into the floor or office furniture  
Soft opening for enhanced comfort and safety  
Equipped with "push and slide" locking system to avoid accidental opening by feet  
To be equipped with Arteor/Myrius socket outlets  
For installation use the flush-mounting boxes for concrete floors or the kits for raised access floors or table top

### 3 modules

0540 10	Matt aluminium finish	1960	1
0540 15	Brushed brass	2712	1
0540 20	Brushed Stainless steel finish	2742	1

### 4 modules

0540 11	Matt aluminium finish	2350	1
0540 16	Brushed brass	3208	1
0540 21	Brushed Stainless Steel finish	3294	1
0540 26	Matt black	2900	1
0540 31	Glossy white	2970	1

### 6 (2 x 3) modules

0540 12	Matt aluminium finish	4350	1
0540 17	Brushed brass	5822	1
0540 22	Brushed stainless steel finish	6034	1

### 8 (2 x 4) modules

0540 13	Matt aluminium finish	5222	1
0540 18	Brushed brass	6986	1
0540 23	Brushed stainless steel finish	7242	1
0540 28	Matt black	6382	1
0540 33	Glossy white	6536	1

### Retractable Accessory for Pop Up

0540 34	Retract RJ 45 kit cord C6UTP white	2632	1
0540 35	Retract RJ 45 kit cord C6FTP white	3682	1
0540 36	Retractable kit USB cord white	2494	1

### Installation kits for raised access floors or table top

Include an empty receptacle and fixing brackets for raised access floor tiles or table tops  
Equipped with cable retainer for power cables, to ensure increased safety of the installation  
Compatible with:  
- Cat. 6 data cabling  
- Audio/video cabling

0540 05	3 modules	884	1
0540 07	6 (2 x 3) modules	1474	1
0540 06	4 modules	1032	1
0540 08	8 (2 x 4) modules	1764	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

**NEW !**

## Pop-up type flush-mounting boxes

for workstation & meeting room table applications

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

### Flush-mounting boxes for installation in concrete floors

For installation of pop-up floor boxes in concrete floors  
Equipped with knockouts for Ø 20 and Ø 25 mm conduits

### Metal flush-mounting boxes

0540 00	3 modules	234	1
0540 02	6 (2 x 3) modules	500	1
0540 01	4 modules	312	1
0540 03	8 (2 x 4) modules	624	1

## Power & data desk grommets

for workstation & meeting room table application

### Empty power & data desk grommets

To be equipped with Myrius or Arteur socket outlets,  
Easily retro fitted into a 60 to 80 mm diameter hole  
in current office desks and workspace table tops (by  
replacing the desk grommet)  
Cover opens to 180° to prevent breaking

### For one 2P+E socket

0540 70*	White RAL 9003, to be equipped with 1 socket	1634	1
0540 71*	Black RAL 9017, to be equipped with 1 socket	1516	1

### For one 2P+E socket and USB phone charger

Supplied with one USB phone charger output  
5 V= 750 mA, to be wired

0540 72*	White RAL 9003 with USB, to be equipped with 1 socket	3902	1
0540 73*	Black RAL 9017 with USB, to be equipped with 1 socket	4250	1

### Pre-wired modules with retractable cords

For fitting on an empty power & data desktop modules  
(under the table top)  
Automatic cable rewind when not connected, for an  
optimized use of the desk surface

### Cat. 6 FTP

0540 65	Equipped with: - 1.35 m RJ 45 Cat. 6 FTP retractable cord on the user side and - 1 x RJ 45 socket on the installation side Patch cord for connection to data network to be ordered separately	2388	1
---------	--	------	---

### USB / micro USB

0540 67	Equipped with- 1.35 m retractable cord with micro USB connector, on the user side and - 0.5 m cable with USB connector on the installation side	2164	1
---------	---	------	---

### Finishing plates for empty power & data desk grommets

For fitting on an empty power & data desk grommets

0540 60	White RAL 9003	238	10
0540 62	Black RAL 9017	260	10
0540 63	Stainless Steel	948	10

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

\* Finishing Plates to be ordered separately

**NEW !**

## Desktop multi-outlet extensions

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

- Aluminium extensions with grey end caps RAL 7035. Reversible cable guide for grouping cords of connected devices
- Designed to have 45° Slope for easy insertion of angled plug
- An ideal solution dedicated to nomadic people and / or satisfy a esthetic needs
- Products answering all needs of office users
- Possibility to organise cables and plugs through the cable guide (reversible if not used)
- A specific accessory allowing to fit the product on the desk in 3 different position
- A reliable and secure installation with conformity to NFC 61-314
- Index of protection: IK7

### Empty desktop multioutlet extensions

Aluminium extensions with cable guide (reversible)  
To be equipped with Arteur sockets

0535 90	8 modules	3714	1
0535 91	12 modules	4188	1
0535 92	16 modules	5000	1

### Accessories

#### Fixing accessory

0535 99	Fixing accessory to clip on desktop	2164	1/5
---------	-------------------------------------	------	-----

### Cable worm

0535 98	2 compartments Length: 0.75 m White colour Very suitable solution for a safe and design protection of the cabling between desk and floor	3732	1
---------	--	------	---

## Flush mounting power and data module

A ready to embed solution for all dry support with thickness between 2 and 40 mm. Conform to standard NFC 61-314 which ensures safety of the user  
Aesthetic product (no visible screw), thickness of 6mm only. Product available in 8 and 12 module, with the option of configuring power sockets, data, AV, protection etc. 3 Finishes; white/ black and aluminium

### Flush mounting power and data module to be equipped

Aluminium extensions with cable guide (reversible)  
To be equipped with Arteur sockets

#### 8 module; length - 180 mm

0535 60	Flush 8 module white finish	4268	1
0535 61	Flush 8 module aluminium finish	5030	1
0535 62	Flush 8 module black finish	4150	1

## Flush mounting power and data module

#### 12 module; length - 270 mm

0535 63	Flush 12 module white finish	4486	1
0535 64	Flush 12 module aluminium finish	5406	1
0535 65	Flush 12 module black finish	4526	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists.  
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.  
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

## Snap-on trunking 45 mm cover 50x80 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Snap-on trunking</b>			
<b>1-compartment trunking</b>			
0756 01	Snap-on trunking can take any Arteor wiring accessory Includes: - 1 body - 1 cover, width 45 mm	868	20 <sup>(1)</sup>
<b>Extra cover</b>			
0756 08	Width 45 mm	336	20 <sup>(1)</sup>
<b>Extra partition</b>			
0756 09	Divider	188	26 <sup>(1)</sup>
<b>Fishplate body joint</b>			
0756 61	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	302	10
<b>Joint</b>			
0756 66	Stick-on body joint	194	20
<b>Cover joint</b>			
0756 69	Cover joint, width 45 mm	106	10
<b>Height spacer</b>			
0105 80	Colour charcoal grey For fitting 15 mm from the ground	436	24 <sup>(1)</sup>
<b>Soluclip accessory</b>			
0756 90	For installation with any Arteor function	150	10
<b>Angles</b>			
0756 21	Internal angle, varies from 80° to 100°	402	10
0756 31	External angle, varies from 85° to 120°	830	10
0756 41	Flat angle at 90°	490	10
<b>End caps</b>			
0756 11	Left or right end cap	174	10
<b>Flat junctions</b>			
<b>With 80 mm wide sections</b>			
0756 71	Creates a junction with snap-on trunking 50 x 80 mm	670	5
<b>Angled junction</b>			
0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, Must be used in conjunction with internal angle	1478	5
<b>Junction with floor duct</b>			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	772	5

\*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

## Snap-on trunking 45mm cover 50x105 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
<b>Snap-on trunking</b>			
<b>1-compartment trunking</b>			
0756 02	Snap-on trunking can take any Arteor wiring accessory Includes: - 1 body - 1 cover, width 45 mm	1102	12 <sup>(1)</sup>
<b>Extra cover</b>			
0756 08	Width 45 mm	336	20 <sup>(1)</sup>
<b>Extra partition</b>			
0756 09	Divider	188	26 <sup>(1)</sup>
<b>Fishplate body joint</b>			
0756 62	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	402	10
<b>Joint</b>			
0756 67	Stick-on body joint	236	20
<b>Cover joint</b>			
0756 69	Cover joint, width 45 mm	106	10
<b>Height spacer</b>			
0105 80	Colour charcoal grey For fitting 15 mm from the ground	436	24 <sup>(1)</sup>
<b>Soluclip accessory</b>			
0756 90	For installation with any Arteor function	150	10
<b>Angles</b>			
0756 22	Internal angle, varies from 80° to 100°	560	10
0756 32	External angle, varies from 85° to 120°	1278	10
0756 42	Flat angle at 90°	642	10
<b>End caps</b>			
0756 12	Left or right end cap	174	10
<b>Flat junctions</b>			
<b>With 80 mm wide sections</b>			
0756 72	Creates a junction with snap-on trunking 50 x 80 mm	670	5
<b>With 105 mm wide sections</b>			
0756 76	Creates a junction with snap-on trunking 50 x 105 mm	718	5
<b>Angled junction</b>			
0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, 50 x 105 mm, 50 x 130 mm Must be used in conjunction with internal angle	1478	5
<b>Junction with floor duct</b>			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	772	5

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.