

MCCBs: DRX™ and DPX³

Legrand now has two distinct ranges of MCCBs

DRX™ -- Thermal magnetic release only.

DPX³ -- Thermal magnetic and Microprocessor releases.

DRX™, is available upto 100 A, and finds applications in both, residential and commercial. Accessories like the Rotary Handles, Moulded Shrouds, Cage Terminals etc. are available in the range.



DRX 100

Current rating from 60 to 100 A
Breaking Capacity 10 kA
Thermal Magnetic release

DPX³ available in 5 frame sizes, covers requirements from 16 A upto 1600 A, with adjustable thermal and magnetic releases. Optional accessories like Rotary Handles, Motor Operators etc. are also available. **DPX³** can also be used as an Automatic Transfer Switch.

Ics = 100% Icu



DPX³ 160

Current rating from 16 to 160 A
Breaking capacity 16 kA to 50 kA
Thermal magnetic release
Optional integrated earth leakage available



DPX³ 250

Current rating 40 Amp to 250 Amp
Breaking capacity 25 kA to 70 kA
Thermal magnetic release & microprocessor release
Optional integrated earth leakage available



DPX³ 630

Thermal Magnetic & Electronic type
Current rating – 320 A to 630 A
Breaking capacity – 36 KA to 100 KA



DPX³ 1600

Thermal Magnetic & Electronic type
Current rating – 800 A to 1600 A
Breaking capacity – 36KA to 100 KA

DRX™ MCCB



0270 08

DRX MCCBs

| Type and frame size | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|------------------------|-------|--------|----------------|-----------------|------|
| DRX 100 Icu = 10 kA | 60 A | 3 Pole | 0270 06 | 2368 | 1/12 |
| | 63 A | 3 Pole | 0270 39 | 2368 | 1/12 |
| | 75 A | 3 Pole | 0270 07 | 2368 | 1/12 |
| | 100 A | 3 Pole | 0270 08 | 2368 | 1/12 |
| | 60 A | 4 Pole | 0270 16 | 4238 | 1/12 |
| | 63 A | 4 Pole | 0270 29 | 4238 | 1/12 |
| | 75 A | 4 Pole | 0270 17 | 4238 | 1/12 |
| | 100 A | 4 Pole | 0270 18 | 4238 | 1/12 |

| Description | Cat.Nos | LP* ₹ / Unit | Pack |
|-------------|---------|-----------------|------|
|-------------|---------|-----------------|------|

DIN rail adaptor

| | | | |
|---------|---------|-----|---|
| DRX 100 | 0271 87 | 410 | 1 |
|---------|---------|-----|---|

Rotary handles - Direct

| | | | |
|---------|----------------|------|---|
| DRX 100 | 6687 70 | 1134 | 1 |
|---------|----------------|------|---|

Rotary handles - vary-depth

| | | | |
|---------|----------------|------|---|
| DRX 100 | 6687 71 | 1962 | 1 |
|---------|----------------|------|---|

Padlocking support for operating handle

| | | | |
|---------|---------|-----|---|
| DRX 100 | 0271 80 | 126 | 1 |
|---------|---------|-----|---|

Connection accessories

| | | | |
|-----------------------------|---------|----|---|
| Set of 2 shields for 3 pole | 0271 81 | 98 | 1 |
|-----------------------------|---------|----|---|

Sealable terminal shields (moulded shrouds)

| | | | |
|----------------------|---------|------|---|
| For DRX 100 - 3 pole | 0271 83 | 1338 | 1 |
| For DRX 100 - 4 pole | 0271 84 | 1404 | 1 |

Cage terminals

| | | | |
|----------------------|---------|-----|---|
| For DRX 100 - 3 pole | 0271 71 | 240 | 1 |
| For DRX 100 - 4 pole | 0271 73 | 264 | 1 |

Electrical accessories

| | | | |
|---|---------|------|---|
| Block with 1 auxiliary (1 AUX) | 0271 40 | 848 | 1 |
| Block with 1 alarm (1 AL) | 0271 41 | 868 | 1 |
| Block with 1 auxiliary + 1 alarm (1 AUX + 1 AL) | 0271 42 | 1424 | 1 |

Current shunt coils

| | | | |
|------------------|---------|------|---|
| 200/277 V~ and = | 0271 54 | 1770 | 1 |
| 380/480 V~ and = | 0271 55 | 1770 | 1 |

Undervoltage release coils

| | | | |
|------------|---------|------|---|
| 200/240 V~ | 0271 64 | 2052 | 1 |
| 380/415 V~ | 0271 65 | 2082 | 1 |

DRX spreader links

| | | | |
|--------------------|---------|-----|---|
| 3 Links set for TP | 6250 10 | 162 | 1 |
| 4 Links set for FP | 6250 11 | 242 | 1 |

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products



0271 83




0271 40



0271 54

P17 TEMPRA PRO

Ensuring a quick installation



1 QUICK OPENING/CLOSING SYSTEM

Unlocked by pressing with a screwdriver. Marking indicates the location for the locking clip.

Opened by turning the 2 parts in opposite directions.



Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 160 thermal magnetic MCCBs from 16 to 160 A Ics = 100% Icu



4200 00



4200 10

MCCBs

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|---------------------------------------|-------|--------|----------------|-----------------|------|
| DPX ³ 160 ① Icu = 16 kA | 16 A | 3 Pole | 4200 00 | 5736 | 1 |
| | 25 A | 3 Pole | 4200 01 | 5736 | 1 |
| | 40 A | 3 Pole | 4200 02 | 5736 | 1 |
| | 63 A | 3 Pole | 4200 03 | 5466 | 1 |
| | 80 A | 3 Pole | 4200 04 | 5466 | 1 |
| | 100 A | 3 Pole | 4200 05 | 5466 | 1 |
| | 125 A | 3 Pole | 4200 06 | 6108 | 1 |
| | 160 A | 3 Pole | 4200 07 | 7540 | 1 |
| | 16 A | 4 Pole | 4200 10 | 7390 | 1 |
| | 25 A | 4 Pole | 4200 11 | 7390 | 1 |
| | 40 A | 4 Pole | 4200 12 | 7390 | 1 |
| | 63 A | 4 Pole | 4200 13 | 7024 | 1 |
| | 80 A | 4 Pole | 4200 14 | 7024 | 1 |
| | 100 A | 4 Pole | 4200 15 | 7024 | 1 |
| DPX ³ 160 ① Icu = 25 kA | 16 A | 3 Pole | 4200 40 | 8726 | 1 |
| | 25 A | 3 Pole | 4200 41 | 8726 | 1 |
| | 40 A | 3 Pole | 4200 42 | 8726 | 1 |
| | 63 A | 3 Pole | 4200 43 | 7506 | 1 |
| | 80 A | 3 Pole | 4200 44 | 7506 | 1 |
| | 100 A | 3 Pole | 4200 45 | 7506 | 1 |
| | 125 A | 3 Pole | 4200 46 | 8310 | 1 |
| | 160 A | 3 Pole | 4200 47 | 10066 | 1 |
| | 16 A | 4 Pole | 4200 50 | 11662 | 1 |
| | 25 A | 4 Pole | 4200 51 | 11662 | 1 |
| | 40 A | 4 Pole | 4200 52 | 11662 | 1 |
| | 63 A | 4 Pole | 4200 53 | 10364 | 1 |
| | 80 A | 4 Pole | 4200 54 | 10364 | 1 |
| | 100 A | 4 Pole | 4200 55 | 10364 | 1 |
| DPX ³ 160 ① Icu = 36 kA | 16 A | 3 Pole | 4200 80 | 11112 | 1 |
| | 25 A | 3 Pole | 4200 81 | 11112 | 1 |
| | 40 A | 3 Pole | 4200 82 | 11112 | 1 |
| | 63 A | 3 Pole | 4200 83 | 8836 | 1 |
| | 80 A | 3 Pole | 4200 84 | 8836 | 1 |
| | 100 A | 3 Pole | 4200 85 | 8836 | 1 |
| | 125 A | 3 Pole | 4200 86 | 10388 | 1 |
| | 160 A | 3 Pole | 4200 87 | 13258 | 1 |
| | 16 A | 4 Pole | 4200 90 | 13970 | 1 |
| | 25 A | 4 Pole | 4200 91 | 13970 | 1 |
| | 40 A | 4 Pole | 4200 92 | 13970 | 1 |
| | 63 A | 4 Pole | 4200 93 | 12082 | 1 |
| | 80 A | 4 Pole | 4200 94 | 12082 | 1 |
| | 100 A | 4 Pole | 4200 95 | 12082 | 1 |
| | 125 A | 4 Pole | 4200 96 | 13800 | 1 |
| | 160 A | 4 Pole | 4200 97 | 16644 | 1 |

DPX³ 160 thermal magnetic MCCBs from 16 to 160 A Ics = 100% Icu

MCCBs

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 160 ① Icu = 50 kA | 16 A | 3 Pole | 4201 20 | 13638 | 1 |
| | 25 A | 3 Pole | 4201 21 | 13638 | 1 |
| | 40 A | 3 Pole | 4201 22 | 13638 | 1 |
| | 63 A | 3 Pole | 4201 23 | 10204 | 1 |
| | 80 A | 3 Pole | 4201 24 | 10204 | 1 |
| | 100 A | 3 Pole | 4201 25 | 10204 | 1 |
| | 125 A | 3 Pole | 4201 26 | 13770 | 1 |
| | 160 A | 3 Pole | 4201 27 | 17458 | 1 |
| | 16 A | 4 Pole | 4201 30 | 18300 | 1 |
| | 25 A | 4 Pole | 4201 31 | 18300 | 1 |
| | 40 A | 4 Pole | 4201 32 | 18300 | 1 |
| | 63 A | 4 Pole | 4201 33 | 15836 | 1 |
| | 80 A | 4 Pole | 4201 34 | 15836 | 1 |
| | 100 A | 4 Pole | 4201 35 | 15836 | 1 |
| DPX ³ 160 ① Icu = 36 kA | 125 A | 4 Pole | 4201 36 | 18194 | 1 |
| | 160 A | 4 Pole | 4201 37 | 20942 | 1 |

MCCBs with electronic earth leakage module

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 160 ① Icu = 16 kA | 16 A | 4 Pole | 4200 30 | 26592 | 1 |
| | 25 A | 4 Pole | 4200 31 | 26476 | 1 |
| | 40 A | 4 Pole | 4200 32 | 25598 | 1 |
| | 63 A | 4 Pole | 4200 33 | 25440 | 1 |
| | 80 A | 4 Pole | 4200 34 | 25358 | 1 |
| | 100 A | 4 Pole | 4200 35 | 25358 | 1 |
| | 125 A | 4 Pole | 4200 36 | 27098 | 1 |
| | 160 A | 4 Pole | 4200 37 | 32936 | 1 |
| DPX ³ 160 ① Icu = 25 kA | 16 A | 4 Pole | 4200 70 | 32960 | 1 |
| | 25 A | 4 Pole | 4200 71 | 32624 | 1 |
| | 40 A | 4 Pole | 4200 72 | 32212 | 1 |
| | 63 A | 4 Pole | 4200 73 | 28972 | 1 |
| | 80 A | 4 Pole | 4200 74 | 29368 | 1 |
| | 100 A | 4 Pole | 4200 75 | 29088 | 1 |
| | 125 A | 4 Pole | 4200 76 | 31546 | 1 |
| | 160 A | 4 Pole | 4200 77 | 37850 | 1 |
| DPX ³ 160 ① Icu = 36 kA | 16 A | 4 Pole | 4201 10 | 34608 | 1 |
| | 25 A | 4 Pole | 4201 11 | 33378 | 1 |
| | 40 A | 4 Pole | 4201 12 | 33918 | 1 |
| | 63 A | 4 Pole | 4201 13 | 30998 | 1 |
| | 80 A | 4 Pole | 4201 14 | 31012 | 1 |
| | 100 A | 4 Pole | 4201 15 | 30714 | 1 |
| | 125 A | 4 Pole | 4201 16 | 33502 | 1 |
| | 160 A | 4 Pole | 4201 17 | 40120 | 1 |
| DPX ³ 160 ① Icu = 50 kA | 16 A | 4 Pole | 4201 50 | 38972 | 1 |
| | 25 A | 4 Pole | 4201 51 | 37226 | 1 |
| | 40 A | 4 Pole | 4201 52 | 38194 | 1 |
| | 63 A | 4 Pole | 4201 53 | 35762 | 1 |
| | 80 A | 4 Pole | 4201 54 | 35440 | 1 |
| | 100 A | 4 Pole | 4201 55 | 35440 | 1 |
| | 125 A | 4 Pole | 4201 56 | 37724 | 1 |
| | 160 A | 4 Pole | 4201 57 | 45180 | 1 |



4200 37



4201 57

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 250 thermal magnetic

MCCBs from 100 to 250 A Ics = 100% Icu



4202 05

MCCBs

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|---------------------------------------|-------|--------|----------------|-----------------|------|
| DPX ³ 250 ② Icu = 25 kA | 100 A | 3 Pole | 4202 05 | 9466 | 1 |
| | 160 A | 3 Pole | 4202 07 | 13996 | 1 |
| | 200 A | 3 Pole | 4202 08 | 17392 | 1 |
| | 250 A | 3 Pole | 4202 09 | 21736 | 1 |
| | 100 A | 4 Pole | 4202 15 | 11834 | 1 |
| | 160 A | 4 Pole | 4202 17 | 17498 | 1 |
| | 200 A | 4 Pole | 4202 18 | 21736 | 1 |
| | 250 A | 4 Pole | 4202 19 | 27170 | 1 |
| DPX ³ 250 ② Icu = 36 kA | 100 A | 3 Pole | 4202 35 | 16422 | 1 |
| | 160 A | 3 Pole | 4202 37 | 17498 | 1 |
| | 200 A | 3 Pole | 4202 38 | 20180 | 1 |
| | 250 A | 3 Pole | 4202 39 | 22090 | 1 |
| | 100 A | 4 Pole | 4202 45 | 17624 | 1 |
| | 160 A | 4 Pole | 4202 47 | 21908 | 1 |
| | 200 A | 4 Pole | 4202 48 | 24634 | 1 |
| | 250 A | 4 Pole | 4202 49 | 28280 | 1 |
| DPX ³ 250 ② Icu = 50 kA | 100 A | 3 Pole | 4202 65 | 17870 | 1 |
| | 160 A | 3 Pole | 4202 67 | 19490 | 1 |
| | 200 A | 3 Pole | 4202 68 | 22598 | 1 |
| | 250 A | 3 Pole | 4202 69 | 24576 | 1 |
| | 100 A | 4 Pole | 4202 75 | 22626 | 1 |
| | 160 A | 4 Pole | 4202 77 | 24506 | 1 |
| | 200 A | 4 Pole | 4202 78 | 28120 | 1 |
| | 250 A | 4 Pole | 4202 79 | 30570 | 1 |
| DPX ³ 250 ② Icu = 70 kA | 100 A | 3 Pole | 4206 05 | 20286 | 1 |
| | 160 A | 3 Pole | 4206 07 | 25176 | 1 |
| | 200 A | 3 Pole | 4206 08 | 30842 | 1 |
| | 250 A | 3 Pole | 4206 09 | 32728 | 1 |
| | 100 A | 4 Pole | 4206 15 | 22656 | 1 |
| | 160 A | 4 Pole | 4206 17 | 31470 | 1 |
| | 200 A | 4 Pole | 4206 18 | 38126 | 1 |
| | 250 A | 4 Pole | 4206 19 | 39650 | 1 |

MCCBs with electronic earth leakage module



4202 25

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 250 ② Icu = 25 kA | 100 A | 4 Pole | 4202 25 | 39722 | 1 |
| | 160 A | 4 Pole | 4202 27 | 46750 | 1 |
| | 200 A | 4 Pole | 4202 28 | 48520 | 1 |
| | 250 A | 4 Pole | 4202 29 | 51818 | 1 |
| DPX ³ 250 ② Icu = 36 kA | 100 A | 4 Pole | 4202 55 | 44098 | 1 |
| | 160 A | 4 Pole | 4202 57 | 51396 | 1 |
| | 200 A | 4 Pole | 4202 58 | 56860 | 1 |
| | 250 A | 4 Pole | 4202 59 | 57522 | 1 |

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

DPX³ 250 thermal magnetic

MCCBs from 100 to 250 A Ics = 100% Icu

MCCBs with electronic earth leakage module

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 250 ② Icu = 50 kA | 100 A | 4 Pole | 4202 85 | 51972 | 1 |
| | 160 A | 4 Pole | 4202 87 | 59998 | 1 |
| | 200 A | 4 Pole | 4202 88 | 63158 | 1 |
| | 250 A | 4 Pole | 4202 89 | 67042 | 1 |
| DPX ³ 250 ② Icu = 70 kA | 100 A | 4 Pole | 4206 25 | 52306 | 1 |
| | 160 A | 4 Pole | 4206 27 | 65390 | 1 |
| | 200 A | 4 Pole | 4206 28 | 71408 | 1 |
| | 250 A | 4 Pole | 4206 29 | 74728 | 1 |

DPX³ 250 electronic release

MCCBs from 40 to 250 A Ics = 100% Icu

MCCBs

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 250 ② Icu = 25 kA | 40 A | 3 Pole | 4203 02 | 15816 | 1 |
| | 100 A | 3 Pole | 4203 05 | 15816 | 1 |
| | 160 A | 3 Pole | 4203 07 | 20376 | 1 |
| | 250 A | 3 Pole | 4203 09 | 28012 | 1 |
| | 40 A | 4 Pole | 4203 12 | 21216 | 1 |
| | 100 A | 4 Pole | 4203 15 | 21216 | 1 |
| | 160 A | 4 Pole | 4203 17 | 26744 | 1 |
| | 250 A | 4 Pole | 4203 19 | 35906 | 1 |
| DPX ³ 250 ② Icu = 36 kA | 40 A | 3 Pole | 4203 32 | 16716 | 1 |
| | 100 A | 3 Pole | 4203 35 | 16716 | 1 |
| | 160 A | 3 Pole | 4203 37 | 21862 | 1 |
| | 250 A | 3 Pole | 4203 39 | 30562 | 1 |
| | 40 A | 4 Pole | 4203 42 | 22246 | 1 |
| | 100 A | 4 Pole | 4203 45 | 22246 | 1 |
| | 160 A | 4 Pole | 4203 47 | 29892 | 1 |
| | 250 A | 4 Pole | 4203 49 | 39858 | 1 |
| DPX ³ 250 ② Icu = 50 kA | 40 | 3 Pole | 4203 62 | 20282 | 1 |
| | 100 | 3 Pole | 4203 65 | 21264 | 1 |
| | 160 | 3 Pole | 4203 67 | 26230 | 1 |
| | 250 | 3 Pole | 4203 69 | 32472 | 1 |
| | 40 A | 4 Pole | 4203 72 | 25838 | 1 |
| | 100 A | 4 Pole | 4203 75 | 25716 | 1 |
| | 160 A | 4 Pole | 4203 77 | 32154 | 1 |
| | 250 A | 4 Pole | 4203 79 | 42150 | 1 |
| DPX ³ 250 ② Icu = 70 kA | 40 A | 3 Pole | 4206 35 | 25196 | 1 |
| | 100 A | 3 Pole | 4206 37 | 25440 | 1 |
| | 160 A | 3 Pole | 4206 38 | 38020 | 1 |
| | 250 A | 3 Pole | 4206 39 | 43278 | 1 |
| | 40 A | 4 Pole | 4206 45 | 33032 | 1 |
| | 100 A | 4 Pole | 4206 47 | 32716 | 1 |
| | 160 A | 4 Pole | 4206 48 | 43542 | 1 |
| | 250 A | 4 Pole | 4206 49 | 55584 | 1 |



4203 69

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 250 electronic release

MCCBs from 40 to 250 A Ics = 100% Icu



4203 25

MCCBs with electronic earth leakage module

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|---------------------------------------|-------|--------|---------|-----------------|------|
| DPX ³ 250 ② Icu = 25 kA | 40 A | 4 Pole | 4203 22 | 63800 | 1 |
| | 100 A | 4 Pole | 4203 25 | 63800 | 1 |
| | 160 A | 4 Pole | 4203 27 | 68038 | 1 |
| | 250 A | 4 Pole | 4203 29 | 79836 | 1 |
| DPX ³ 250 ② Icu = 36 kA | 40 A | 4 Pole | 4203 52 | 64910 | 1 |
| | 100 A | 4 Pole | 4203 55 | 64910 | 1 |
| | 160 A | 4 Pole | 4203 57 | 71334 | 1 |
| | 250 A | 4 Pole | 4203 59 | 83206 | 1 |
| DPX ³ 250 ② Icu = 50 kA | 40 A | 4 Pole | 4203 82 | 68336 | 1 |
| | 100 A | 4 Pole | 4203 85 | 68336 | 1 |
| | 160 A | 4 Pole | 4203 87 | 73814 | 1 |
| | 250 A | 4 Pole | 4203 89 | 85802 | 1 |
| DPX ³ 250 ② Icu = 70 kA | 40 A | 4 Pole | 4206 55 | 74464 | 1 |
| | 100 A | 4 Pole | 4206 57 | 74464 | 1 |
| | 160 A | 4 Pole | 4206 58 | 84018 | 1 |
| | 250 A | 4 Pole | 4206 59 | 114712 | 1 |

MCCBs with energy metering central unit

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 250 ② Icu = 25 kA | 40 A | 3 Pole | 4204 02 | 48280 | 1 |
| | 100 A | 3 Pole | 4204 05 | 48280 | 1 |
| | 160 A | 3 Pole | 4204 07 | 52296 | 1 |
| | 250 A | 3 Pole | 4204 09 | 56572 | 1 |
| | 40 A | 4 Pole | 4204 12 | 52748 | 1 |
| | 100 A | 4 Pole | 4204 15 | 52748 | 1 |
| | 160 A | 4 Pole | 4204 17 | 57096 | 1 |
| | 250 A | 4 Pole | 4204 19 | 64740 | 1 |
| DPX ³ 250 ② Icu = 36 kA | 40 A | 3 Pole | 4204 32 | 49280 | 1 |
| | 100 A | 3 Pole | 4204 35 | 49280 | 1 |
| | 160 A | 3 Pole | 4204 37 | 53666 | 1 |
| | 250 A | 3 Pole | 4204 39 | 57938 | 1 |
| | 40 A | 4 Pole | 4204 42 | 53802 | 1 |
| | 100 A | 4 Pole | 4204 45 | 53802 | 1 |
| | 160 A | 4 Pole | 4204 47 | 60252 | 1 |
| | 250 A | 4 Pole | 4204 49 | 67662 | 1 |
| DPX ³ 250 ② Icu = 50 kA | 40 A | 3 Pole | 4204 62 | 52454 | 1 |
| | 100 A | 3 Pole | 4204 65 | 52454 | 1 |
| | 160 A | 3 Pole | 4204 67 | 57544 | 1 |
| | 250 A | 3 Pole | 4204 69 | 60804 | 1 |
| | 40 A | 4 Pole | 4204 72 | 57068 | 1 |
| | 100 A | 4 Pole | 4204 75 | 57068 | 1 |
| | 160 A | 4 Pole | 4204 77 | 62632 | 1 |
| | 250 A | 4 Pole | 4204 79 | 70442 | 1 |

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

DPX³ 250 electronic release

MCCBs from 40 to 250 A Ics = 100% Icu



4206 79



4204 25

MCCBs with energy metering central unit

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 250 ② Icu = 70 kA | 40 A | 3 Pole | 4206 65 | 56612 | 1 |
| | 100 A | 3 Pole | 4206 67 | 56612 | 1 |
| | 160 A | 3 Pole | 4206 68 | 67530 | 1 |
| | 250 A | 3 Pole | 4206 69 | 67642 | 1 |
| | 40 A | 4 Pole | 420675 | 62914 | 1 |
| | 100 A | 4 Pole | 420677 | 62914 | 1 |
| | 160 A | 4 Pole | 420678 | 72020 | 1 |
| | 250 A | 4 Pole | 420679 | 98406 | 1 |

MCCBs with energy metering central unit and electronic earth leakage module

| | | | | | |
|---------------------------------------|-------|--------|---------|--------|---|
| DPX ³ 250 ② Icu = 25 kA | 40 A | 4 Pole | 4204 22 | 85568 | 1 |
| | 100 A | 4 Pole | 4204 25 | 85568 | 1 |
| | 160 A | 4 Pole | 4204 27 | 90044 | 1 |
| | 250 A | 4 Pole | 4204 29 | 101290 | 1 |
| DPX ³ 250 ② Icu = 36 kA | 40 A | 4 Pole | 4204 52 | 86656 | 1 |
| | 100 A | 4 Pole | 4204 55 | 86656 | 1 |
| | 160 A | 4 Pole | 4204 57 | 93286 | 1 |
| | 250 A | 4 Pole | 4204 59 | 102987 | 1 |
| DPX ³ 250 ② Icu = 50 kA | 40 A | 4 Pole | 4204 82 | 90012 | 1 |
| | 100 A | 4 Pole | 4204 85 | 90012 | 1 |
| | 160 A | 4 Pole | 4204 87 | 95732 | 1 |
| | 250 A | 4 Pole | 4204 89 | 107538 | 1 |
| DPX ³ 250 ② Icu = 70 kA | 40 A | 4 Pole | 4206 85 | 96022 | 1 |
| | 100 A | 4 Pole | 4206 87 | 96022 | 1 |
| | 160 A | 4 Pole | 4206 88 | 105390 | 1 |
| | 250 A | 4 Pole | 4206 89 | 133964 | 1 |

Microprocessor based release Sg MCCBs

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 250 ② Icu = 25 kA | 40 A | 3 Pole | 4205 02 | 38664 | 1 |
| | 100 A | 3 Pole | 4205 05 | 38664 | 1 |
| | 160 A | 3 Pole | 4205 07 | 42648 | 1 |
| | 250 A | 3 Pole | 4205 09 | 47086 | 1 |
| | 40 A | 4 Pole | 4205 12 | 43318 | 1 |
| | 100 A | 4 Pole | 4205 15 | 43318 | 1 |
| | 160 A | 4 Pole | 4205 17 | 47628 | 1 |
| | 250 A | 4 Pole | 4205 19 | 55338 | 1 |
| DPX ³ 250 ② Icu = 36 kA | 40 A | 3 Pole | 4205 22 | 39894 | 1 |
| | 100 A | 3 Pole | 4205 25 | 39894 | 1 |
| | 160 A | 3 Pole | 4205 27 | 44064 | 1 |
| | 250 A | 3 Pole | 4205 29 | 48024 | 1 |
| | 40 A | 4 Pole | 4205 32 | 44636 | 1 |
| | 100 A | 4 Pole | 4205 35 | 44636 | 1 |
| | 160 A | 4 Pole | 4205 37 | 50888 | 1 |
| | 250 A | 4 Pole | 4205 39 | 59024 | 1 |

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 250

Microprocessor based release

MCCBs from 40 to 250 A Ics = 100% Icu



4205 49

Microprocessor based release Sg MCCBs

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|---------------------------------------|-------|--------|---------|--------------|------|
| DPX ³ 250 ② Icu = 50 kA | 40 A | 3 Pole | 4205 42 | 43012 | 1 |
| | 100 A | 3 Pole | 4205 45 | 43012 | 1 |
| | 160 A | 3 Pole | 4205 47 | 48078 | 1 |
| | 250 A | 3 Pole | 4205 49 | 50978 | 1 |
| | 40 A | 4 Pole | 4205 52 | 48048 | 1 |
| | 100 A | 4 Pole | 4205 55 | 48048 | 1 |
| | 160 A | 4 Pole | 4205 57 | 53368 | 1 |
| | 250 A | 4 Pole | 4205 59 | 61578 | 1 |
| DPX ³ 250 ② Icu = 70 kA | 40 A | 3 Pole | 4206 92 | 48998 | 1 |
| | 100 A | 3 Pole | 4206 95 | 48998 | 1 |
| | 160 A | 3 Pole | 4206 97 | 60482 | 1 |
| | 250 A | 3 Pole | 4206 99 | 62082 | 1 |
| | 40 A | 4 Pole | 4207 02 | 55794 | 1 |
| | 100 A | 4 Pole | 4207 05 | 55794 | 1 |
| | 160 A | 4 Pole | 4207 07 | 65616 | 1 |
| | 250 A | 4 Pole | 4207 09 | 95116 | 1 |

DPX³ 630

thermal magnetic release

MCCBs from 250 to 630 A Ics = 100% Icu

MCCBs thermal magnetic release

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 630 ③ Icu = 36 kA | 320 A | 3 Pole | 4220 01 | 26762 | 1 |
| | 400 A | 3 Pole | 4220 02 | 26762 | 1 |
| | 500 A | 3 Pole | 4220 03 | 31044 | 1 |
| | 630 A | 3 Pole | 4220 04 | 33136 | 1 |
| | 320 A | 4 Pole | 4220 06 | 33552 | 1 |
| | 400 A | 4 Pole | 4220 07 | 33552 | 1 |
| | 500 A | 4 Pole | 4220 08 | 39156 | 1 |
| | 630 A | 4 Pole | 4220 09 | 41320 | 1 |
| DPX ³ 630 ③ Icu = 50 kA | 320 A | 3 Pole | 4220 15 | 28832 | 1 |
| | 400 A | 3 Pole | 4220 16 | 28832 | 1 |
| | 500 A | 3 Pole | 4220 17 | 33748 | 1 |
| | 630 A | 3 Pole | 4220 18 | 36170 | 1 |
| | 320 A | 4 Pole | 4220 20 | 35994 | 1 |
| | 400 A | 4 Pole | 4220 21 | 35994 | 1 |
| | 500 A | 4 Pole | 4220 22 | 43224 | 1 |
| | 630 A | 4 Pole | 4220 23 | 45860 | 1 |
| DPX ³ 630 ③ Icu = 70 kA | 320 A | 3 Pole | 4220 29 | 33088 | 1 |
| | 400 A | 3 Pole | 4220 30 | 33088 | 1 |
| | 500 A | 3 Pole | 4220 31 | 42404 | 1 |
| | 630 A | 3 Pole | 4220 32 | 44438 | 1 |
| | 320 A | 4 Pole | 4220 34 | 40874 | 1 |
| | 400 A | 4 Pole | 4220 35 | 40874 | 1 |
| | 500 A | 4 Pole | 4220 36 | 54278 | 1 |
| | 630 A | 4 Pole | 4220 37 | 56018 | 1 |

* Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

DPX³ 630 - thermal magnetic release

MCCBs from 250 to 630 A Ics = 100% Icu

MCCBs thermal magnetic release

| | | | | | |
|--|-------|--------|---------|---|---|
| DPX ³ 630 ③ Icu = 100 kA | 320 A | 3 Pole | 4220 43 | ■ | 1 |
| | 400 A | 3 Pole | 4220 44 | ■ | 1 |
| | 500 A | 3 Pole | 4220 45 | ■ | 1 |
| | 630 A | 3 Pole | 4220 46 | ■ | 1 |
| | 320 A | 4 Pole | 4220 48 | ■ | 1 |
| | 400 A | 4 Pole | 4220 49 | ■ | 1 |
| | 500 A | 4 Pole | 4220 50 | ■ | 1 |
| | 630 A | 4 Pole | 4220 51 | ■ | 1 |

DPX³ 630

S2 electronic release

MCCBs from 250 to 630 A Ics = 100% Icu

MCCBs electronic based release S2

| | | | | | |
|--|-------|--------|---------|-------|---|
| DPX ³ 630 ③ Icu = 36 kA | 320 A | 3 Pole | 4220 57 | 33496 | 1 |
| | 400 A | 3 Pole | 4220 58 | 33496 | 1 |
| | 500 A | 3 Pole | 4220 59 | 37146 | 1 |
| | 630 A | 3 Pole | 4220 60 | 37146 | 1 |
| | 320 A | 4 Pole | 4220 62 | 40206 | 1 |
| | 400 A | 4 Pole | 4220 63 | 40206 | 1 |
| | 500 A | 4 Pole | 4220 64 | 48758 | 1 |
| | 630 A | 4 Pole | 4220 65 | 48758 | 1 |
| DPX ³ 630 ③ Icu = 50 kA | 320 A | 3 Pole | 4220 67 | 36448 | 1 |
| | 400 A | 3 Pole | 4220 68 | 36448 | 1 |
| | 500 A | 3 Pole | 4220 69 | 45848 | 1 |
| | 630 A | 3 Pole | 4220 70 | 45848 | 1 |
| | 320 A | 4 Pole | 4220 72 | 45684 | 1 |
| | 400 A | 4 Pole | 4220 73 | 45684 | 1 |
| | 500 A | 4 Pole | 4220 74 | 53792 | 1 |
| | 630 A | 4 Pole | 4220 75 | 53792 | 1 |
| DPX ³ 630 ③ Icu = 70 kA | 320 A | 3 Pole | 4220 77 | 43470 | 1 |
| | 400 A | 3 Pole | 4220 78 | 43470 | 1 |
| | 500 A | 3 Pole | 4220 79 | 49128 | 1 |
| | 630 A | 3 Pole | 4220 80 | 49128 | 1 |
| | 320 A | 4 Pole | 4220 82 | 56276 | 1 |
| | 400 A | 4 Pole | 4220 83 | 56276 | 1 |
| | 500 A | 4 Pole | 4220 84 | 62852 | 1 |
| | 630 A | 4 Pole | 4220 85 | 62852 | 1 |
| DPX ³ 630 ③ Icu = 100 kA | 320 A | 3 Pole | 4220 87 | ■ | 1 |
| | 400 A | 3 Pole | 4220 88 | ■ | 1 |
| | 500 A | 3 Pole | 4220 89 | ■ | 1 |
| | 630 A | 3 Pole | 4220 90 | ■ | 1 |
| | 320 A | 4 Pole | 4220 92 | ■ | 1 |
| | 400 A | 4 Pole | 4220 93 | ■ | 1 |
| | 500 A | 4 Pole | 4220 94 | ■ | 1 |
| | 630 A | 4 Pole | 4220 95 | ■ | 1 |



4220 60



4220 65

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 630

S2 electronic release MCCBs from 250 to 630 A

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|----------------------|-------|-------|---------|-----------------|------|
|----------------------|-------|-------|---------|-----------------|------|

MCCBs electronic release S2 with energy metering central unit

| | | | | | |
|--|-------|--------|---------|-------|---|
| DPX ³ 630 ⑤ Icu = 36 kA | 320 A | 3 Pole | 4220 97 | 46004 | 1 |
| | 400 A | 3 Pole | 4220 98 | 46004 | 1 |
| | 500 A | 3 Pole | 4220 99 | 49688 | 1 |
| | 630 A | 3 Pole | 4221 00 | 49688 | 1 |
| | 320 A | 4 Pole | 4221 02 | 54994 | 1 |
| | 400 A | 4 Pole | 4221 03 | 54994 | 1 |
| | 500 A | 4 Pole | 4221 04 | 61412 | 1 |
| | 630 A | 4 Pole | 4221 05 | 61412 | 1 |
| | 320 A | 4 Pole | 4221 12 | 58308 | 1 |
| | 400 A | 4 Pole | 4221 13 | 58308 | 1 |
| DPX ³ 630 ⑥ Icu = 50 kA | 320 A | 3 Pole | 4221 07 | 48632 | 1 |
| | 400 A | 3 Pole | 4221 08 | 48632 | 1 |
| | 500 A | 3 Pole | 4221 09 | 58476 | 1 |
| | 630 A | 3 Pole | 4221 10 | 58476 | 1 |
| | 320 A | 4 Pole | 4221 12 | 58308 | 1 |
| | 400 A | 4 Pole | 4221 13 | 58308 | 1 |
| | 500 A | 4 Pole | 4221 14 | 65976 | 1 |
| | 630 A | 4 Pole | 4221 15 | 65976 | 1 |
| | 320 A | 4 Pole | 4221 22 | 68462 | 1 |
| | 400 A | 4 Pole | 4221 23 | 68462 | 1 |
| DPX ³ 630 ⑦ Icu = 70 kA | 320 A | 3 Pole | 4221 17 | 57870 | 1 |
| | 400 A | 3 Pole | 4221 18 | 57870 | 1 |
| | 500 A | 3 Pole | 4221 19 | 61312 | 1 |
| | 630 A | 3 Pole | 4221 20 | 61312 | 1 |
| | 320 A | 4 Pole | 4221 22 | 68462 | 1 |
| | 400 A | 4 Pole | 4221 23 | 68462 | 1 |
| | 500 A | 4 Pole | 4221 24 | 75036 | 1 |
| | 630 A | 4 Pole | 4221 25 | 75036 | 1 |
| | 320 A | 4 Pole | 4221 32 | ■ | 1 |
| | 400 A | 4 Pole | 4221 33 | ■ | 1 |
| DPX ³ 630 ⑧ Icu = 100 kA | 320 A | 3 Pole | 4221 27 | ■ | 1 |
| | 400 A | 3 Pole | 4221 28 | ■ | 1 |
| | 500 A | 3 Pole | 4221 29 | ■ | 1 |
| | 630 A | 3 Pole | 4221 30 | ■ | 1 |
| | 320 A | 4 Pole | 4221 32 | ■ | 1 |
| | 400 A | 4 Pole | 4221 33 | ■ | 1 |
| | 500 A | 4 Pole | 4221 34 | ■ | 1 |
| | 630 A | 4 Pole | 4221 35 | ■ | 1 |
| | 320 A | 4 Pole | 4221 42 | 52700 | 1 |
| | 400 A | 4 Pole | 4221 43 | 52700 | 1 |



4221 38



4221 43

MCCBs electronic release Sg

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 630 ⑤ Icu = 36 kA | 320 A | 3 Pole | 4221 37 | 45070 | 1 |
| | 400 A | 3 Pole | 4221 38 | 45070 | 1 |
| | 500 A | 3 Pole | 4221 39 | 49034 | 1 |
| | 630 A | 3 Pole | 4221 40 | 49034 | 1 |
| | 320 A | 4 Pole | 4221 42 | 52700 | 1 |
| | 400 A | 4 Pole | 4221 43 | 52700 | 1 |
| | 500 A | 4 Pole | 4221 44 | 61890 | 1 |
| | 630 A | 4 Pole | 4221 45 | 61890 | 1 |
| | 320 A | 4 Pole | 4221 82 | 69010 | 1 |
| | 400 A | 4 Pole | 4221 83 | 69010 | 1 |

DPX³ 630

S2 electronic release MCCBs from 250 to 630 A

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|----------------------|-------|-------|---------|-----------------|------|
|----------------------|-------|-------|---------|-----------------|------|

MCCBs electronic release Sg

| | | | | | |
|--|-------|--------|---------|-------|---|
| DPX ³ 630 ⑤ Icu = 50 kA | 320 A | 3 Pole | 4221 47 | 46822 | 1 |
| | 400 A | 3 Pole | 4221 48 | 46822 | 1 |
| | 500 A | 3 Pole | 4221 49 | 53354 | 1 |
| | 630 A | 3 Pole | 4221 50 | 53354 | 1 |
| | 320 A | 4 Pole | 4221 52 | 57542 | 1 |
| | 400 A | 4 Pole | 4221 53 | 57542 | 1 |
| | 500 A | 4 Pole | 4221 54 | 68968 | 1 |
| | 630 A | 4 Pole | 4221 55 | 68968 | 1 |
| | 320 A | 4 Pole | 4221 62 | 68534 | 1 |
| | 400 A | 4 Pole | 4221 63 | 68534 | 1 |
| DPX ³ 630 ⑥ Icu = 70 kA | 320 A | 3 Pole | 4221 57 | 55304 | 1 |
| | 400 A | 3 Pole | 4221 58 | 55304 | 1 |
| | 500 A | 3 Pole | 4221 59 | 63310 | 1 |
| | 630 A | 3 Pole | 4221 60 | 63310 | 1 |
| | 320 A | 4 Pole | 4221 62 | 68534 | 1 |
| | 400 A | 4 Pole | 4221 63 | 68534 | 1 |
| | 500 A | 4 Pole | 4221 64 | 86146 | 1 |
| | 630 A | 4 Pole | 4221 65 | 86146 | 1 |
| | 320 A | 4 Pole | 4221 72 | ■ | 1 |
| | 400 A | 4 Pole | 4221 73 | ■ | 1 |
| DPX ³ 630 ⑦ Icu = 100 kA | 320 A | 3 Pole | 4221 67 | ■ | 1 |
| | 400 A | 3 Pole | 4221 68 | ■ | 1 |
| | 500 A | 3 Pole | 4221 69 | ■ | 1 |
| | 630 A | 3 Pole | 4221 70 | ■ | 1 |
| | 320 A | 4 Pole | 4221 72 | ■ | 1 |
| | 400 A | 4 Pole | 4221 73 | ■ | 1 |
| | 500 A | 4 Pole | 4221 74 | ■ | 1 |
| | 630 A | 4 Pole | 4221 75 | ■ | 1 |
| | 320 A | 4 Pole | 4221 82 | 69010 | 1 |
| | 400 A | 4 Pole | 4221 83 | 69010 | 1 |



4221 85

MCCBs electronic release Sg with energy metering central unit

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 630 ⑤ Icu = 36 kA | 320 A | 3 Pole | 4221 77 | 60178 | 1 |
| | 400 A | 3 Pole | 4221 78 | 60178 | 1 |
| | 500 A | 3 Pole | 4221 79 | 63704 | 1 |
| | 630 A | 3 Pole | 4221 80 | 63704 | 1 |
| | 320 A | 4 Pole | 4221 82 | 69010 | 1 |
| | 400 A | 4 Pole | 4221 83 | 69010 | 1 |
| | 500 A | 4 Pole | 4221 84 | 77690 | 1 |
| | 630 A | 4 Pole | 4221 85 | 77690 | 1 |
| | 320 A | 4 Pole | 4221 92 | 73342 | 1 |
| | 400 A | 4 Pole | 4221 93 | 73342 | 1 |
| DPX ³ 630 ⑥ Icu = 50 kA | 320 A | 3 Pole | 4221 87 | 63074 | 1 |
| | 400 A | 3 Pole | 4221 88 | 63074 | 1 |
| | 500 A | 3 Pole | 4221 89 | 69154 | 1 |
| | 630 A | 3 Pole | 4221 90 | 69154 | 1 |
| | 320 A | 4 Pole | 4221 92 | 73342 | 1 |
| | 400 A | 4 Pole | 4221 93 | 73342 | 1 |
| | 500 A | 4 Pole | 4221 94 | 84770 | 1 |
| | 630 A | 4 Pole | 4221 95 | 84770 | 1 |
| | 320 A | 4 Pole | 4221 92 | 73342 | 1 |
| | 400 A | 4 Pole | 4221 93 | 73342 | 1 |

■ Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 630

S2 electronic release MCCBs from 250 to 630 A

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|--|-------|--------|---------|-----------------|------|
| MCCBs electronic release Sg with energy metering central unit | | | | | |
| DPX ³ 630 ⑤ Icu = 70 kA | 320 A | 3 Pole | 4221 97 | 71106 | 1 |
| | 400 A | 3 Pole | 4221 98 | 71106 | 1 |
| | 500 A | 3 Pole | 4221 99 | 79110 | 1 |
| | 630 A | 3 Pole | 4222 00 | 79110 | 1 |
| | 320 A | 4 Pole | 4222 02 | 84336 | 1 |
| | 400 A | 4 Pole | 4222 03 | 84336 | 1 |
| | 500 A | 4 Pole | 4222 04 | 101946 | 1 |
| | 630 A | 4 Pole | 4222 05 | 101946 | 1 |
| | 320 A | 3 Pole | 4222 07 | ■ | 1 |
| | 400 A | 3 Pole | 4222 08 | ■ | 1 |
| | 500 A | 3 Pole | 4222 09 | ■ | 1 |
| | 630 A | 3 Pole | 4222 10 | ■ | 1 |
| DPX ³ 630 ⑥ Icu = 100 kA | 320 A | 4 Pole | 4222 12 | ■ | 1 |
| | 400 A | 4 Pole | 4222 13 | ■ | 1 |
| | 500 A | 4 Pole | 4222 14 | ■ | 1 |
| | 630 A | 4 Pole | 4222 15 | ■ | 1 |

DPX³ 630

earth leakage modules

Earth leakage modules

Standard

| | | | | | |
|------------------------|-------|--------|---------|-------|---|
| DPX ³ 630 ⑤ | 400 A | 3 Pole | 0260 60 | 72598 | 1 |
| | 630 A | 3 Pole | 0260 64 | 74130 | 1 |
| | 400 A | 4 Pole | 0260 61 | 65908 | 1 |
| | 630 A | 4 Pole | 0260 65 | 67102 | 1 |

LED version

| | | | | | |
|------------------------|-------|--------|---------|-------|---|
| DPX ³ 630 ⑥ | 400 A | 4 Pole | 0260 63 | 92026 | 1 |
| | 630 A | 4 Pole | 0260 67 | 95218 | 1 |



0260 63

DPX³ 1600

thermal magnetic release

MCCBs from 630 to 1250 A Ics = 100% Icu

MCCBs thermal magnetic release

| | | | | | |
|--|--------|--------|---------|--------|---|
| DPX ³ 1600 ④ Icu = 36 kA | 800 A | 3 Pole | 4222 52 | 52660 | 1 |
| | 1000 A | 3 Pole | 4222 53 | 63632 | 1 |
| | 1250 A | 3 Pole | 4222 54 | 85574 | 1 |
| | 800 A | 4 Pole | 4222 57 | 61438 | 1 |
| | 1000 A | 4 Pole | 4222 58 | 75700 | 1 |
| | 1250 A | 4 Pole | 4222 59 | 91060 | 1 |
| | 800 A | 3 Pole | 4222 64 | 55548 | 1 |
| | 1000 A | 3 Pole | 4222 65 | 77812 | 1 |
| | 1250 A | 3 Pole | 4222 66 | 107656 | 1 |
| | 800 A | 4 Pole | 4222 69 | 69928 | 1 |
| | 1000 A | 4 Pole | 4222 70 | 110170 | 1 |
| | 1250 A | 4 Pole | 4222 71 | 120640 | 1 |



4222 78



4222 83



4223 27



4223 33

DPX³ 1600 - thermal magnetic release

MCCBs from 630 to 1250 A Ics = 100% Icu

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|--|--------|--------|---------|-----------------|------|
| MCCBs thermal magnetic release | | | | | |
| DPX ³ 1600 ④ Icu = 70 kA | 800 A | 3 Pole | 4222 76 | 71812 | 1 |
| | 1000 A | 3 Pole | 4222 77 | 108746 | 1 |
| | 1250 A | 3 Pole | 4222 78 | 115860 | 1 |
| | 800 A | 4 Pole | 4222 81 | 88058 | 1 |
| | 1000 A | 4 Pole | 4222 82 | 153972 | 1 |
| | 1250 A | 4 Pole | 4222 83 | 177546 | 1 |
| | 800 A | 3 Pole | 4222 88 | ■ | 1 |
| | 1000 A | 3 Pole | 4222 89 | ■ | 1 |
| | 1250 A | 3 Pole | 4222 90 | ■ | 1 |
| | 800 A | 4 Pole | 4222 93 | ■ | 1 |
| | 1000 A | 4 Pole | 4222 94 | ■ | 1 |
| | 1250 A | 4 Pole | 4222 95 | ■ | 1 |

DPX³ 1600

S2 electronic release

MCCBs from 630 to 1600 A Ics = 100% Icu

MCCBs electronic release S2

| | | | | | |
|--|--------|--------|---------|--------|---|
| DPX ³ 1600 ④ Icu = 36 kA | 800 A | 3 Pole | 4223 00 | 59914 | 1 |
| | 1000 A | 3 Pole | 4223 01 | 91754 | 1 |
| | 1250 A | 3 Pole | 4223 02 | 110602 | 1 |
| | 1600 A | 3 Pole | 4223 03 | 122904 | 1 |
| | 800 A | 4 Pole | 4223 06 | 69974 | 1 |
| | 1000 A | 4 Pole | 4223 07 | 135432 | 1 |
| | 1250 A | 4 Pole | 4223 08 | 155746 | 1 |
| | 1600 A | 4 Pole | 4223 09 | 173804 | 1 |
| | 800 A | 3 Pole | 4223 12 | 68632 | 1 |
| | 1000 A | 3 Pole | 4223 13 | 90288 | 1 |
| | 1250 A | 3 Pole | 4223 14 | 109544 | 1 |
| | 1600 A | 3 Pole | 4223 15 | 138608 | 1 |
| DPX ³ 1600 ④ Icu = 50 kA | 800 A | 4 Pole | 4223 18 | 87524 | 1 |
| | 1000 A | 4 Pole | 4223 19 | 133174 | 1 |
| | 1250 A | 4 Pole | 4223 20 | 169590 | 1 |
| | 1600 A | 4 Pole | 4223 21 | 195056 | 1 |
| | 800 A | 3 Pole | 4223 24 | 81260 | 1 |
| | 1000 A | 3 Pole | 4223 25 | 113876 | 1 |
| | 1250 A | 3 Pole | 4223 26 | 136372 | 1 |
| | 1600 A | 3 Pole | 4223 27 | 183320 | 1 |
| | 800 A | 4 Pole | 4223 30 | 102838 | 1 |
| | 1000 A | 4 Pole | 4223 31 | 162518 | 1 |
| | 1250 A | 4 Pole | 4223 32 | 189604 | 1 |
| | 1600 A | 4 Pole | 4223 33 | 234738 | 1 |
| DPX ³ 1600 ④ Icu = 70 kA | 800 A | 3 Pole | 4223 36 | ■ | 1 |
| | 1000 A | 3 Pole | 4223 37 | ■ | 1 |
| | 1250 A | 3 Pole | 4223 38 | ■ | 1 |
| | 800 A | 4 Pole | 4223 42 | ■ | 1 |
| | 1000 A | 4 Pole | 4223 43 | ■ | 1 |
| | 1250 A | 4 Pole | 4223 44 | ■ | 1 |

■ Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 1600

S2 electronic release MCCBs from 630 to 1600 A



4223 51



4223 54

MCCBs electronic release S2 with energy metering central unit

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|---|--------|--------|---------|-----------------|------|
| DPX ³ 1600 ④ Icu = 36 kA | 800 A | 3 Pole | 4223 48 | 77424 | 1 |
| | 1000 A | 3 Pole | 4223 49 | 108684 | 1 |
| | 1250 A | 3 Pole | 4223 50 | 127530 | 1 |
| | 1600 A | 3 Pole | 4223 51 | 139834 | 1 |
| | 800 A | 4 Pole | 4223 54 | 86904 | 1 |
| | 1000 A | 4 Pole | 4223 55 | 152362 | 1 |
| | 1250 A | 4 Pole | 4223 56 | 172676 | 1 |
| | 1600 A | 4 Pole | 4223 57 | 190734 | 1 |
| | 800 A | 3 Pole | 4223 60 | 81710 | 1 |
| | 1000 A | 3 Pole | 4223 61 | 102704 | 1 |
| | 1250 A | 3 Pole | 4223 62 | 123016 | 1 |
| | 1600 A | 3 Pole | 4223 63 | 152362 | 1 |
| DPX ³ 1600 ④ Icu = 50 kA | 800 A | 4 Pole | 4223 66 | 100784 | 1 |
| | 1000 A | 4 Pole | 4223 67 | 145590 | 1 |
| | 1250 A | 4 Pole | 4223 68 | 182004 | 1 |
| | 1600 A | 4 Pole | 4223 69 | 209356 | 1 |
| | 800 A | 3 Pole | 4223 72 | 93674 | 1 |
| | 1000 A | 3 Pole | 4223 73 | 126290 | 1 |
| | 1250 A | 3 Pole | 4223 74 | 150104 | 1 |
| | 1600 A | 3 Pole | 4223 75 | 197506 | 1 |
| | 800 A | 4 Pole | 4223 78 | 116244 | 1 |
| | 1000 A | 4 Pole | 4223 79 | 174934 | 1 |
| | 1250 A | 4 Pole | 4223 80 | 202020 | 1 |
| | 1600 A | 4 Pole | 4223 81 | 249420 | 1 |
| DPX ³ 1600 ④ Icu = 70 kA | 800 A | 3 Pole | 4223 84 | ■ | 1 |
| | 1000 A | 3 Pole | 4223 85 | ■ | 1 |
| | 1250 A | 3 Pole | 4223 86 | ■ | 1 |
| | 800 A | 4 Pole | 4223 90 | ■ | 1 |
| | 1000 A | 4 Pole | 4223 91 | ■ | 1 |
| | 1250 A | 4 Pole | 4223 92 | ■ | 1 |
| DPX ³ 1600 ④ Icu = 100 kA | 800 A | 3 Pole | 4223 84 | ■ | 1 |
| | 1000 A | 3 Pole | 4223 85 | ■ | 1 |
| | 1250 A | 3 Pole | 4223 86 | ■ | 1 |
| | 800 A | 4 Pole | 4223 90 | ■ | 1 |



4224 23



4224 29



4224 47

DPX³ 1600

Sg Microprocessor based release MCCBs from 630 to 1600 A Ics = 100% Icu

MCCBs Microprocessor based release Sg

| | | | | | |
|--|--------|--------|---------|--------|---|
| DPX ³ 1600 ④ Icu = 36 kA | 800 A | 3 Pole | 4223 96 | 87814 | 1 |
| | 1000 A | 3 Pole | 4223 97 | 117938 | 1 |
| | 1250 A | 3 Pole | 4223 98 | 129336 | 1 |
| | 1600 A | 3 Pole | 4223 99 | 138028 | 1 |
| | 800 A | 4 Pole | 4224 02 | 105074 | 1 |
| | 1000 A | 4 Pole | 4224 03 | 160262 | 1 |
| | 1250 A | 4 Pole | 4224 04 | 180576 | 1 |
| | 1600 A | 4 Pole | 4224 05 | 212176 | 1 |
| | 800 A | 3 Pole | 4223 96 | 87814 | 1 |
| | 1000 A | 3 Pole | 4223 97 | 117938 | 1 |
| | 1250 A | 3 Pole | 4223 98 | 129336 | 1 |
| | 1600 A | 3 Pole | 4223 99 | 138028 | 1 |



4224 65

DPX³ 1600

Sg electronic release MCCBs from 630 to 1600 A

MCCBs electronic release Sg

| | | | | | |
|---|--------|--------|---------|--------|---|
| DPX ³ 1600 ④ Icu = 50 kA | 800 A | 3 Pole | 4224 08 | 77728 | 1 |
| | 1000 A | 3 Pole | 4224 09 | 99440 | 1 |
| | 1250 A | 3 Pole | 4224 10 | 148976 | 1 |
| | 1600 A | 3 Pole | 4224 11 | 178318 | 1 |
| | 800 A | 4 Pole | 4224 14 | 100602 | 1 |
| | 1000 A | 4 Pole | 4224 15 | 156492 | 1 |
| | 1250 A | 4 Pole | 4224 16 | 194498 | 1 |
| | 1600 A | 4 Pole | 4224 17 | 228590 | 1 |
| | 800 A | 3 Pole | 4224 20 | 87796 | 1 |
| | 1000 A | 3 Pole | 4224 21 | 146718 | 1 |
| | 1250 A | 3 Pole | 4224 22 | 170756 | 1 |
| | 1600 A | 3 Pole | 4224 23 | 230574 | 1 |
| DPX ³ 1600 ④ Icu = 70 kA | 800 A | 4 Pole | 4224 26 | 117938 | 1 |
| | 1000 A | 4 Pole | 4224 27 | 199106 | 1 |
| | 1250 A | 4 Pole | 4224 28 | 230494 | 1 |
| | 1600 A | 4 Pole | 4224 29 | 271722 | 1 |
| | 800 A | 3 Pole | 4224 32 | ■ | 1 |
| | 1000 A | 3 Pole | 4224 33 | ■ | 1 |
| | 1250 A | 3 Pole | 4224 34 | ■ | 1 |
| | 800 A | 4 Pole | 4224 38 | ■ | 1 |
| | 1000 A | 4 Pole | 4224 39 | ■ | 1 |
| | 1250 A | 4 Pole | 4224 40 | ■ | 1 |
| | 800 A | 3 Pole | 4224 32 | ■ | 1 |
| | 1000 A | 3 Pole | 4224 33 | ■ | 1 |
| DPX ³ 1600 ④ Icu = 100 kA | 800 A | 3 Pole | 4224 32 | ■ | 1 |
| | 1000 A | 3 Pole | 4224 33 | ■ | 1 |
| | 1250 A | 3 Pole | 4224 34 | ■ | 1 |
| | 800 A | 4 Pole | 4224 38 | ■ | 1 |
| | 1000 A | 4 Pole | 4224 39 | ■ | 1 |
| | 1250 A | 4 Pole | 4224 40 | ■ | 1 |

MCCBs electronic release Sg with energy metering central unit

| | | | | | |
|--|--------|--------|---------|--------|---|
| DPX ³ 1600 ④ Icu = 36 kA | 800 A | 3 Pole | 4224 44 | 105592 | 1 |
| | 1000 A | 3 Pole | 4224 45 | 134868 | 1 |
| | 1250 A | 3 Pole | 4224 46 | 146266 | 1 |
| | 1600 A | 3 Pole | 4224 47 | 154956 | 1 |
| | 800 A | 4 Pole | 4224 50 | 123016 | 1 |
| | 1000 A | 4 Pole | 4224 51 | 177192 | 1 |
| | 1250 A | 4 Pole | 4224 52 | 197506 | 1 |
| | 1600 A | 4 Pole | 4224 53 | 229106 | 1 |
| | 800 A | 3 Pole | 4224 44 | 105592 | 1 |
| | 1000 A | 3 Pole | 4224 45 | 134868 | 1 |
| | 1250 A | 3 Pole | 4224 46 | 146266 | 1 |
| | 1600 A | 3 Pole | 4224 47 | 154956 | 1 |
| DPX ³ 1600 ④ Icu = 50 kA | 800 A | 4 Pole | 4224 56 | 95408 | 1 |
| | 1000 A | 4 Pole | 4224 57 | 113944 | 1 |
| | 1250 A | 4 Pole | 4224 58 | 162518 | 1 |
| | 1600 A | 4 Pole | 4224 59 | 191862 | 1 |
| | 800 A | 3 Pole | 4224 56 | 95408 | 1 |
| | 1000 A | 3 Pole | 4224 57 | 113944 | 1 |
| | 1250 A | 3 Pole | 4224 58 | 162518 | 1 |
| | 1600 A | 3 Pole | 4224 59 | 191862 | 1 |
| | 800 A | 4 Pole | 4224 62 | 115118 | 1 |
| | 1000 A | 4 Pole | 4224 63 | 171548 | 1 |
| | 1250 A | 4 Pole | 4224 64 | 209920 | 1 |
| | 1600 A | 4 Pole | 4224 65 | 244342 | 1 |

■ Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 1600

Sg electronic release MCCBs from 630 to 1600 A

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|--|--------|--------|---------|-----------------|------|
| MCCBs electronic release Sg with energy metering central unit | | | | | |
| DPX ³ 1600 ② Icu = 70 kA | 800 A | 3 Pole | 4224 68 | 101338 | 1 |
| | 1000 A | 3 Pole | 4224 69 | 160262 | 1 |
| | 1250 A | 3 Pole | 4224 70 | 184300 | 1 |
| | 1600 A | 3 Pole | 4224 71 | 244116 | 1 |
| | 800 A | 4 Pole | 4224 74 | 131482 | 1 |
| | 1000 A | 4 Pole | 4224 75 | 212650 | 1 |
| | 1250 A | 4 Pole | 4224 76 | 244036 | 1 |
| | 1600 A | 4 Pole | 4224 77 | 285264 | 1 |
| DPX ³ 1600 ④ Icu = 100 kA | 800 A | 3 Pole | 4224 80 | ■ | 1 |
| | 1000 A | 3 Pole | 4224 81 | ■ | 1 |
| | 1250 A | 3 Pole | 4224 82 | ■ | 1 |
| | 800 A | 4 Pole | 4224 86 | ■ | 1 |
| | 1000 A | 4 Pole | 4224 87 | ■ | 1 |
| | 1250 A | 4 Pole | 4224 88 | ■ | 1 |

DPX³ magnetic only

motor protection MCCBs up to 400 A

DPX³ 160

| | | | | | |
|--------------------------------------|------|--------|---------|-------|---|
| DPX ³ 160 ① Icu = 16kA | 16 A | 3 Pole | 4207 10 | 11764 | 1 |
| | 25 A | 3 Pole | 4207 11 | 11764 | 1 |
| | 50 A | 3 Pole | 4207 12 | 11764 | 1 |
| | 63 A | 3 Pole | 4207 13 | 11764 | 1 |
| DPX ³ 160 ① Icu = 25kA | 16 A | 3 Pole | 4207 14 | 13070 | 1 |
| | 25 A | 3 Pole | 4207 15 | 13070 | 1 |
| | 50 A | 3 Pole | 4207 16 | 13070 | 1 |
| | 63 A | 3 Pole | 4207 17 | 13070 | 1 |

DPX³ 250

| | | | | | |
|---------------------------------------|-------|--------|---------|-------|---|
| DPX ³ 250 ② Icu = 36 kA | 100 A | 3 Pole | 4207 18 | 23524 | 1 |
| | 160 A | 3 Pole | 4207 19 | 23524 | 1 |
| | 200 A | 3 Pole | 4207 20 | 24832 | 1 |
| | 250 A | 3 Pole | 4207 21 | 26136 | 1 |
| DPX ³ 250 ② Icu = 25 kA | 100 A | 3 Pole | 4207 22 | 20908 | 1 |
| | 160 A | 3 Pole | 4207 23 | 20908 | 1 |
| | 200 A | 3 Pole | 4207 24 | 22218 | 1 |
| | 250 A | 3 Pole | 4207 25 | 23524 | 1 |

DPX³-I trip-free switches

160 to 1600 A

Trip free switches

| | | | | | |
|---------------------------|-------|-----------------|---------|-------|---|
| DPX ³ -I 160 ① | 160 A | 3 Pole | 4201 98 | 11226 | 1 |
| | 160 A | 4 Pole | 4201 99 | 14090 | 1 |
| | 160 A | 4 Pole with elm | 4201 97 | 41798 | 1 |

DPX³-I trip-free switches

160 to 1600 A

| Type and frame sizes | Amps. | Poles | Cat.Nos | LP* ₹ / Unit | Pack |
|----------------------------|--------|-----------------|---------|-----------------|------|
| Trip free switches | | | | | |
| DPX ³ -I 250 ② | 250 A | 3 Pole | 4202 99 | 25858 | 1 |
| | 250 A | 4 Pole | 4203 00 | 31376 | 1 |
| | 250 A | 4 Pole with elm | 4202 98 | 78220 | 1 |
| DPX ³ -I 630 ③ | 400 A | 3 Pole | 4222 16 | 39276 | 1 |
| | 630 A | 3 Pole | 4222 17 | 44016 | 1 |
| | 400 A | 4 Pole | 4222 18 | 49434 | 1 |
| | 630 A | 4 Pole | 4222 19 | 65458 | 1 |
| DPX ³ -I 1600 ④ | 630 A | 3 Pole | 4224 90 | 47628 | 1 |
| | 800 A | 3 Pole | 4224 91 | 60944 | 1 |
| | 1250 A | 3 Pole | 4224 92 | 72570 | 1 |
| | 1600 A | 3 Pole | 4224 93 | 94802 | 1 |
| | 630 A | 4 Pole | 4224 94 | 58688 | 1 |
| | 800 A | 4 Pole | 4224 95 | 76744 | 1 |
| | 1250 A | 4 Pole | 4224 96 | 94802 | 1 |
| | 1600 A | 4 Pole | 4224 97 | 133174 | 1 |



4202 99



4210 40

DPX³ 160

equipment and mounting accessories

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|---------|--|-----------------|------|
| 4210 40 | For DPX ³ 160 - 3P | ■ | 1 |
| 4210 41 | For DPX ³ 160 - 4P | ■ | 1 |
| 4210 44 | Set of connectors for auxiliary contacts | ■ | 1 |
| 4210 45 | Key barrel and flat key for Padlocks | ■ | 1 |
| 4210 46 | Key barrel and star key for Padlocks | ■ | 1 |
| 4210 47 | Padlock accessory | ■ | 1 |

Connection accessories

| | | | |
|---------|---|------|---|
| 4210 26 | Set of 3 terminals for High capacity cage terminals | 6224 | 1 |
| 4210 27 | Set of 4 terminals for High capacity cage terminals | 8226 | 1 |
| 4210 70 | Set of 3 insulated shields | 136 | 1 |
| 4210 28 | Set of 3 terminals | 706 | 1 |
| 4210 29 | Screw terminals for copper bars connection | 846 | 1 |
| 6250 02 | Set of 4 terminals | 846 | 1 |
| 6250 02 | Screw terminals for copper bars connection | 378 | 1 |
| 6250 06 | Set of 3 spreaders for DPX ³ 160 3P | 824 | 1 |
| 6250 06 | Set of 4 spreaders for DPX ³ 160 4P | 824 | 1 |

■ Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ MCCB selection chart

| | DPX ³ | | DPX ³ 160 | DPX ³ 250 | DPX ³ 630 | DPX ³ 1600 | | | |
|-------------------|------------------------------|----------|-------------------------|-------------------------|-------------------------|-----------------------|--------|---------------------|--------|
| | Ratings | | upto 160 A | 40 A - 250 A | 250 - 630 A | 800 A | 1000 A | 1250 A | 1600 A |
| Rotary Handles | Direct | | 4201 60 ₹ 1538* | | 4201 62 ₹ 2460* | 0262 61 ₹ 3278* | | | |
| | Vary Depth | | 4201 61 ₹ 2226* | | 4201 63 ₹ 4230* | 0262 83 ₹ 6228* | | | |
| Motor Operator | Side | 24-230 V | 4210 60 ₹ 27272* | | - | - | - | - | - |
| | Front | 24 V | 4210 61 ₹ 24496* | | 0261 40 ₹ 42792* | 0261 24 ₹ 81544* | | 0261 19 ₹ 82398* | |
| | | 48 V | | | 0261 41 ₹ 42792* | 0261 25 ₹ 70358* | | 0261 28 ₹ 71030* | |
| | | 110 V | | | - | 0261 26 ■ | | 0261 29 ■ | |
| | | 230 V | | | - | 0261 23 ₹ 65882* | | 0261 27 ₹ 66512* | |
| | | 230 V F | | | 0261 44 ₹ 40068* | 0261 54 ₹ 70358* | | | |
| Aux Contacts | 1 NO + 1NC for RoH | | 4210 10 ₹ 1374* | | - | - | - | - | - |
| | Fault Signalling / ON-OFF | | 4210 11 ₹ 1072* | | | | | | |
| Shunt Release | 12 V | | 4210 12 ₹ 2538* | | - | - | - | - | - |
| | 24 V | | 4210 13 ₹ 2538* | | 4222 39 ₹ 2418* | | | | |
| | 48 V | | 4210 14 ₹ 2538* | | 4222 40 ₹ 2418* | | | | |
| | 110-130 V / 110 V | | 4210 15 ₹ 2538* | | 4222 41 ₹ 2418* | | | | |
| | 200-277 V / 230 V | | 4210 16 ₹ 2538* | | 4222 42 ₹ 2418* | | | | |
| | 380-480 V / 400 V | | 4210 17 ₹ 2538* | | 4222 43 ₹ 2418* | | | | |
| UV Release | 12 V | | 4210 18 ₹ 2884* | | - | - | - | - | - |
| | 24V DC | | - | - | - | 4222 44 ₹ 2860* | | | |
| | 24 V | | 4210 19 ₹ 2884* | | 4222 45 ₹ 2860* | | | | |
| | 48 V | | 4210 20 ₹ 2884* | | 4222 46 ₹ 2860* | | | | |
| | 110-130 V / 110 V | | 4210 21 ₹ 2856* | | 4222 47 ₹ 2832* | | | | |
| | 200-240 V / 230 V | | 4210 22 ₹ 2856* | | 4222 48 ₹ 2832* | | | | |
| | 277 V | | 4210 23 ₹ 2856* | | - | - | - | - | - |
| | 380-415 V / 400 V | | 4210 24 ₹ 2856* | | 4222 49 ₹ 2832* | | | | |
| | 440-480 V | | 4210 25 ₹ 2856* | | - | - | - | - | - |
| Spreaders | 3P | | 6250 02 ₹ 378* | 6250 14 ₹ 672* | 6250 04 ₹ 2618* | 4226 24 ■ | | 0262 73 ■ | |
| | 4P | | 6250 06 ₹ 842* | 6250 18 ₹ 1006* | 6250 08 ₹ 3556* | 4226 25 ■ | | 0262 74 ■ | |

■ Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

DPX³ MCCB

Rotary handles for DPX³



- Smaller dimension of rotary handle base for better visibility of parameters and better access to trip unit
- Only 3 parts for easy installation
- Spring for better play
- Door defeat mechanism for easy maintenance
- ON / OFF indication on the knob
- Pad Locking on the knob – upto 3 Locks

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 160 equipment and mounting accessories



4210 36

Connection accessories

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|---------|---|-----------------|------|
| 4210 36 | Set of 3 rear terminals for DPX ³ 160 3P | 5822 | 1 |
| 4210 37 | Set of 4 rear terminals for DPX ³ 160 4P | 7814 | 1 |

Sealable terminal shields

For front terminals

| | | | |
|---------|-----------------------------|------|---|
| 4210 54 | For DPX ³ 160 3P | 6362 | 1 |
| 4210 55 | For DPX ³ 160 3P | 6718 | 1 |

For rear terminals

| | | | |
|---------|-----------------------------|------|---|
| 4210 50 | For DPX ³ 160 3P | 4020 | 1 |
| 4210 51 | For DPX ³ 160 4P | 3574 | 1 |

Fixing plates

| | | | |
|---------|--|------|---|
| 4210 71 | For DPX ³ 160 3P / 4P without earth leakage module | 332 | 1 |
| 4210 73 | For DPX ³ 160 4P with earth leakage module | 814 | 1 |
| 4210 68 | For DPX ³ 160 3P / 4P with side mounting motor operator | 1480 | 1 |

DPX³ 160 and 250 common auxiliaries and accessories



4210 58

Supply inverter type

| | | | |
|---------|----------------------------------|------|---|
| 4210 58 | For fixed version | 5368 | 1 |
| 4210 59 | For plug-in and draw-out version | 5722 | 1 |

Rotary handles

| | | | |
|----------------|---|------|---|
| 4201 60 | Standard handle for thermal magnetic DPX ³ | 1538 | 1 |
| 4201 61 | Vari-depth standard handles | 2226 | 1 |
| 4201 67 | Key Lock for VD RH DPX ³ 160 & 250 | ■ | 1 |
| 4201 65 | Key Lock for DIR RH Type A DPX ³ 160 & 250 | ■ | 1 |
| 4201 68 | Key Lock for VD RH Type A DPX ³ 160 & 250 | ■ | 1 |
| 4201 66 | Key Lock for DIR RH Type B DPX ³ 160 & 250 | ■ | 1 |
| 4201 69 | Key Lock for VD RH Type B DPX ³ 160 & 250 | ■ | 1 |

Motor-driven handles

| | | | |
|---------|--|-------|---|
| 4210 60 | Side motor operator | 27272 | 1 |
| 4210 61 | Front motor operator | 24496 | 1 |
| 4210 62 | Ronis key barrel for front motor operator | 9794 | 1 |
| 4210 63 | Profalux key barrel for front motor operator | 23268 | 1 |

DPX³ 160 and 250 common auxiliaries and accessories

Motor-driven handles

| | | | |
|---------|---|-------|---|
| 4210 64 | Padlock for front motor operator | 3320 | 1 |
| 4210 65 | Ronis key barrel for side motor operator | 25834 | 1 |
| 4210 66 | Profalux key barrel for side motor operator | 23476 | 1 |
| 4210 67 | Padlock for side motor operator | 3528 | 1 |

Auxiliary contacts

| | | | |
|----------------|--|------|---|
| 4210 10 | 1 N/C + 1 N/O auxiliary contact for rotary handles | 1374 | 1 |
| 4210 11 | Auxiliary contact or fault signalling contact | 1072 | 1 |
| 4210 48 | Signalling contact plugged-in/drawn-out (for DPX ³ plug-in version) | ■ | 1 |

Shunt releases

| | | | |
|----------------|--------------|------|---|
| 4210 12 | 12 V~/= | 2538 | 1 |
| 4210 13 | 24 V~/= | 2538 | 1 |
| 4210 14 | 48 V~/= | 2538 | 1 |
| 4210 15 | 110-130 V~/= | 2538 | 1 |
| 4210 16 | 200-277 V~/= | 2538 | 1 |
| 4210 17 | 380-480 V~/= | 2538 | 1 |

Undervoltage releases

| | | | |
|----------------|--------------|------|---|
| 4210 18 | 12 V~/= | 2884 | 1 |
| 4210 19 | 24 V~/= | 2884 | 1 |
| 4210 20 | 48 V~/= | 2884 | 1 |
| 4210 21 | 110-130 V~/= | 2856 | 1 |
| 4210 22 | 200-240 V~/= | 2856 | 1 |
| 4210 23 | 277 V~/= | 2856 | 1 |
| 4210 24 | 380-415 V~/= | 2856 | 1 |
| 4210 25 | 440-480 V~/= | 2856 | 1 |

Locking accessory

| | | | |
|---------|--|------|---|
| 4210 49 | Padlock for locking in "open" position | 1672 | 1 |
|---------|--|------|---|

Communication interface

| | | | |
|---------|--------|-------|---|
| 4210 75 | Modbus | 20702 | 1 |
|---------|--------|-------|---|

DPX³ 250 equipment and mounting accessories

Equipment for plug-in version

| | | | |
|---------|--|---|---|
| 4210 42 | For DPX ³ 250 - 3P | ■ | 1 |
| 4210 43 | For DPX ³ 250 - 4P with or without earth leakage module | ■ | 1 |
| 4210 44 | Set of connectors for auxiliary contacts | ■ | 1 |
| 4210 45 | Key barrel and flat key N° ABA90GEL6149 for Padlocks | ■ | 1 |
| 4210 46 | Key barrel and star key N° HBA90GPS6149 for Padlocks | ■ | 1 |
| 4210 47 | Padlock accessory | ■ | 1 |

Connection accessories

| | | | |
|---------|----------------------------|------|---|
| 4210 30 | Set of 3 cage terminals | 2508 | 1 |
| 4210 31 | Set of 4 cage terminals | 3266 | 1 |
| 4210 70 | Set of 3 insulated shields | 136 | 1 |

■ Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 250

equipment and mounting accessories

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|---------|-------------|-----------------|------|
|---------|-------------|-----------------|------|

Connection accessories

| | | | |
|---------|---|------|---|
| 6250 14 | Set of 3 spreaders for DPX ³ 250 3P | 672 | 1 |
| 6250 18 | Set of 4 spreaders for DPX ³ 250 4P | 1006 | 1 |
| 4210 38 | Set of 3 rear terminals for DPX ³ 250 3P | 5296 | 1 |
| 4210 39 | Set of 4 rear terminals for DPX ³ 250 4P | 7130 | 1 |

Sealable terminal shields

For front terminals

| | | | |
|---------|-----------------------------|------|---|
| 4210 56 | For DPX ³ 250 3P | 6588 | 1 |
| 4210 57 | For DPX ³ 250 4P | 6974 | 1 |

For rear terminals

| | | | |
|---------|-----------------------------|------|---|
| 4210 52 | For DPX ³ 250 3P | 3928 | 1 |
| 4210 53 | For DPX ³ 250 4P | 4318 | 1 |

Fixing plates

| | | | |
|---------|--|------|---|
| 4210 72 | For DPX ³ 250 3P / 4P without earth leakage module | 332 | 1 |
| 4210 74 | For DPX ³ 250 4P with earth leakage module | 1404 | 1 |
| 4210 69 | For DPX ³ 250 3P / 4P with side mounting motor operator | 1456 | |




4210 72

DPX³ 630

equipment and accessories

Plug-in version

| | | | |
|---------|---|---|---|
| 4222 20 | Set of incoming and outgoing terminals - 3P (6 terminals for 3P DPX ³ or 8 terminals for 4P DPX ³) | ■ | 1 |
| 4222 21 | Set of incoming and outgoing terminals - 4P (6 terminals for 3P DPX ³ or 8 terminals for 4P DPX ³) | ■ | 1 |
| 4222 22 | Front terminal mounting base for DPX ³ only - 3P | ■ | 1 |
| 4222 24 | Flat rear terminal mounting base for DPX ³ only - 3P | ■ | 1 |
| 4222 23 | Front terminal mounting base for DPX ³ only - 4P | ■ | 1 |
| 4222 25 | Flat rear terminal mounting base for DPX ³ only - 4P | ■ | 1 |
| 4222 26 | Front terminal mounting base for DPX ³ with earth leakage module - 4 P | ■ | 1 |
| 4222 27 | Flat rear terminal mounting base for DPX ³ with earth leakage module - 4P | ■ | 1 |
| 4222 37 | For fixing the signalling contact - 4P Cat.No 0265 74 on a DPX ³ plug-in version | ■ | 1 |
| 4222 28 | Set of 2 extractor handle | ■ | 1 |
| 4222 29 | Set of connectors (24-pin) | ■ | 1 |



4222 25

DPX³ 630

equipment and accessories

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|---------|-------------|-----------------|------|
|---------|-------------|-----------------|------|

Draw-out version

| | | | |
|---------|--|---|---|
| 4222 31 | "Debro-lift" mechanism for DPX ³ base only - 3P | ■ | 1 |
| 4222 32 | "Debro-lift" mechanism for DPX ³ base only - 4P | ■ | 1 |
| 4222 33 | "Debro-lift" mechanism for DPX ³ base with elm - 4P | ■ | 1 |
| 0265 76 | One key for "Debro-lift" mechanism for DPX ³ only - Flat key | ■ | 1 |
| 0265 78 | Two keys (one key supplied) for "Debro-lift" mechanism for motorised DPX ³ or with rotary handle - Flat key | ■ | 1 |
| 0263 48 | One key for "Debro-lift" mechanism for DPX ³ only - Star key | ■ | 1 |
| 0265 77 | Two keys (one key supplied) for motorised DPX ³ or with rotary handle - Star key | ■ | 1 |
| 0265 75 | Handle for drawing-out for "Debro-lift" mechanism | ■ | 1 |
| 0265 74 | Signalling contact (plugged-in/drawn-out) for "Debro-lift" mechanism | ■ | 1 |
| 4222 36 | For fixing the signalling contact Cat.No 0265 74 on a DPX ³ draw-out version | ■ | 1 |
| 4222 30 | Block of 6 automatic auxiliary contacts for DPX ³ draw-out version (up to 2 blocks by DPX ³) | ■ | 1 |



4222 32

Supply inverter type

| | | | |
|---------|---|-------|---|
| 0264 09 | Plate for MCCB or trip-free switch fixed version | 8042 | 1 |
| 0264 04 | Plate for MCCB or trip-free switch plug-in and draw-out version | 16666 | 1 |

Rotary handles

| | | | |
|---------|--|------|---|
| 4201 62 | Direct rotary handle | 2460 | 1 |
| 4201 63 | Vari-depth rotary handle | 4230 | 1 |
| 4201 70 | Key Lock for VD RH DPX ³ 630 | ■ | 1 |
| 4201 71 | Key Lock for VD RH Type A DPX ³ 630 | ■ | 1 |
| 4201 72 | Key Lock for VD RH Type B DPX ³ 630 | ■ | 1 |

Motor-driven handles

| | | | |
|---------|-----------------------|-------|---|
| 0261 40 | Front operated 24 V~ | 42792 | 1 |
| 0261 41 | Front operated 48 V~ | 42792 | 1 |
| 0261 44 | Front operated 230 V~ | 40068 | 1 |
| 0261 59 | Lock and flat key | 13506 | 1 |
| 0261 58 | Lock and star key | 14718 | 1 |



0261 40

Accessories

| | | | |
|---------|---|------|---|
| 0262 30 | Set of 3 Insulated shields | 170 | 1 |
| 0262 44 | Set of 2 sealable terminal shields - 3P | 5006 | 1 |
| 0262 45 | Set of 2 sealable terminal shields - 4P | 4958 | 1 |

■ Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 630

equipment and accessories

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|--------------------|--|-----------------|------|
| Accessories | | | |
| 0262 40 | Padlock for locking in "OPEN" position - 4P | 1688 | 1 |
| 0262 46 | Set of 4 adaptors + insulated shields for lug - 4P | 7286 | 1 |
| 0262 47 | Set of 4 extended front terminals - 4P | 10522 | 1 |
| 6250 04 | Set of incoming or outgoing spreaders - 3P | 2618 | 1 |
| 6250 08 | Set of incoming or outgoing spreaders - 4P | 3556 | 1 |
| 0263 50 | Set of incoming or outgoing swivel rear terminals - 3P | 29142 | 1 |
| 0263 52 | Set of incoming or outgoing flat rear terminals - 3P | 34882 | 1 |
| 0263 51 | Set of incoming or outgoing swivel terminals - 4P | 38562 | 1 |
| 0263 53 | Set of incoming or outgoing flat terminals - 4P | ■ | 1 |
| 4222 34 | Set of 2 IP 20 terminal covers - 3P | ■ | 1 |
| 4222 35 | Set of 2 IP 20 terminal covers - 4P | ■ | 1 |

DPX³ 1600

equipment and accessories

Draw-out version

| | | | |
|---------|---|---|---|
| 4225 86 | Front terminals - 3P | ■ | 1 |
| 4225 88 | Rear terminals - 3P | ■ | 1 |
| 4225 87 | Front terminals - 4P | ■ | 1 |
| 4225 89 | Rear terminals - 4P | ■ | 1 |
| 4225 93 | Debro-lift mechanism For DPX ³ 1600 - 3P | ■ | 1 |
| 4225 94 | Debro-lift mechanism for DPX ³ 1600 - 4P | ■ | 1 |
| 4225 95 | For fixing the signalling contact Cat.No 0265 74 on a DPX ³ draw-out version | ■ | 1 |
| 0265 76 | One key for "Debro-lift" mechanism for DPX ³ only - Flat key | ■ | 1 |
| 0265 80 | Two key (one key supplied) for motorised DPX ³ or with rotary handle | ■ | 1 |
| 0263 48 | One key for DPX ³ only - Starkey | ■ | 1 |
| 0265 79 | Two key (one key supplied) for motorised DPX ³ or with rotary handle | ■ | 1 |
| 0265 75 | Handle for drawing-out for "Debro-lift" mechanism | ■ | 1 |
| 0265 74 | Signalling contact (plugged-in/drawn-out) | ■ | 1 |
| 4222 30 | Block of 6 automatic auxiliary contacts for DPX ³ draw-out version (up to 2 blocks by DPX ³) | ■ | 1 |

Supply inverter type

| | | | |
|---------|--|-------|---|
| 0264 10 | Plate for MCCBs or trip-free switch fixed version | 10166 | 1 |
| 0264 05 | Plate for MCCBs or trip-free switch plug-in and draw-out version | 18022 | 1 |

■ Price available on request.

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

DPX³ 1600

equipment and accessories

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|-----------------------|---|-----------------|------|
| Rotary handles | | | |
| 0262 61 | Standard (black) direct on DPX ³ | 3278 | 1 |
| 0262 83 | Standard (black) vari-depth handle IP 55 | 6228 | 1 |
| 0262 93 | Key barrel and flat key | 13506 | 1 |
| 0262 94 | Key barrel and star key | 10502 | 1 |

Motor-driven handles

| | | | |
|---------|--------------------------------------|-------|---|
| 0261 54 | Front operated 230 V~ | 70358 | 1 |
| 0261 24 | Front operated 24 V~ for In ≤ 1250 A | 81544 | 1 |
| 0261 25 | Front operated 48 V~ for In ≤ 1250 A | 70358 | 1 |

Motor-driven handles

| | | | |
|---------|---------------------------------------|-------|---|
| 0261 26 | Front operated 110 V~ for In ≤ 1250 A | ■ | 1 |
| 0261 23 | Front operated 230 V~ for In ≤ 1250 A | 65882 | 1 |
| 0261 19 | Front operated 24 V~ for In = 1600 A | 82398 | 1 |
| 0261 28 | Front operated 48 V~ for In = 1600 A | 71030 | 1 |
| 0261 29 | Front operated 110 V~ for In = 1600 A | ■ | 1 |
| 0261 27 | Front operated 230 V~ for In = 1600 A | 66512 | 1 |
| 0261 59 | Key and flat key | 13506 | 1 |
| 0261 58 | Key and star key | 14718 | 1 |

Accessories

| | | | |
|---------|---|-------|---|
| 0262 66 | Set of 3 insulated shields | 324 | 1 |
| 0262 64 | Set of 2 sealable terminal shields - 3P | 8242 | 1 |
| 0262 65 | Set of 2 sealable terminal shields - 4P | 8536 | 1 |
| 0262 60 | Padlock for locking in "open" position | 1952 | 1 |
| 0262 67 | Set of 4 extended front short terminals for 630 - 1250 A (2 bars max. per pole) | 10008 | 1 |
| 0262 68 | Set of 4 extended front Long terminals for 1600 A (3 bars max. per pole) | 18694 | 1 |
| 4226 24 | Set of incoming or outgoing spreaders for 800 A & 1000 A - 3P | ■ | 1 |
| 4226 25 | Set of incoming or outgoing spreaders for 800 A & 1000 A - 4P | ■ | 1 |
| 0262 73 | Set of incoming or outgoing spreaders for 1250 A & 1600 A - 3P | ■ | 1 |
| 0262 74 | Set of incoming or outgoing spreaders for 1250 A & 1600 A - 4P | ■ | 1 |
| 0263 80 | Short rear terminals - 3P | ■ | 1 |
| 0263 81 | Long rear terminals - 3P | ■ | 1 |
| 0263 82 | Short rear terminals - 4P | ■ | 1 |
| 0263 83 | Long rear terminals - 4P | ■ | 1 |
| 4225 90 | Set of 2 IP 20 terminal covers - 3P | 1354 | 1 |
| 4225 91 | Set of 2 IP 20 terminal covers - 4P | 2030 | 1 |
| 4225 92 | External neutral - 4P | ■ | 1 |

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 630 and 1600 common auxiliaries

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|---------|-------------|-----------------|------|
|---------|-------------|-----------------|------|

Common auxiliaries

| | | | |
|---------|---|------|---|
| 4210 11 | For signalling the state of the contacts or opening of the MCCB on a fault For DPX ³ /DPX ³ -I Changeover switch 3 A - 240 V~ | 1072 | 1 |
|---------|---|------|---|

Releases

Allow remote tripping of a DPX³

Shunt releases

For DPX³ and DPX³-I

Shunt inrush power 300 VA

| | | | |
|---------|-----------------------|------|---|
| 4222 39 | Coil voltage 24 V~/= | 2418 | 1 |
| 4222 40 | Coil voltage 48 V~/= | 2418 | 1 |
| 4222 41 | Coil voltage 110 V~/= | 2418 | 1 |
| 4222 42 | Coil voltage 230 V~/= | 2418 | 1 |
| 4222 43 | Coil voltage 400 V~/= | 2418 | 1 |

Undervoltage releases

For DPX³ and DPX³-I

Shunt inrush power 300 VA

| | | | |
|---------|-----------------------|------|---|
| 4222 44 | Coil voltage 24 V= | 2860 | 1 |
| 4222 45 | Coil voltage 24 V~ | 2860 | 1 |
| 4222 46 | Coil voltage 48 V~/= | 2860 | 1 |
| 4222 47 | Coil voltage 110 V~/= | 2832 | 1 |
| 4222 48 | Coil voltage 230 V~/= | 2832 | 1 |
| 4222 49 | Coil voltage 400 V~/= | 2832 | 1 |

Time-lag undervoltage releases (800 ms)

Prevent false tripping in the event of power supply microbreaks.

Require a time-lag module connected to the undervoltage release Cat.No 4226 23

| | | | |
|---------|--|-------|---|
| 0261 90 | Time-lag module 230 V~ 3 module | 20606 | 1 |
| 0261 91 | Time-lag module 400 V~ 3 module | 22928 | 1 |
| 4226 23 | Undervoltage release for DPX ³ 630 and 1600 | | 1 |

Automation control unit

| | | | |
|---------|----------------------|-------|---|
| 4226 80 | Standard unit | 72978 | 1 |
| 4226 82 | Advanced unit | 79616 | 1 |
| 4226 89 | Communication module | 20702 | 1 |



4226 82

DPX³ 160, 250, 630 and 1600 power supervision system

Auxiliary power supply for DPX³

| | | | |
|---------|---------------------------------|--|---|
| 4210 83 | Input voltage 24 V~/= 2 modules | | 1 |
|---------|---------------------------------|--|---|

RS485 Modbus communication interface

| | | | |
|---------|--|--|---|
| 4210 75 | DPX ³ electronic interface for connecting thermal-magnetic DPX ³ with residual current protection and electronic DPX ³ to an RS485 Modbus | | 1 |
|---------|--|--|---|

Modular power supply

| | | | |
|---------|----------------------------------|--|---|
| 0035 67 | 230 V~ - 27 V= - 0.6 A 2 modules | | 1 |
|---------|----------------------------------|--|---|

* Price available on request.

*LP -List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

✦ For Cat.Nos. and further details please contact th nearest branch.

Red Cat.Nos - new products

DPX³ 160, 250, 630 and 1600 power supervision system

| Cat.Nos | Description | LP* ₹ / Unit | Pack |
|---------|-------------|-----------------|------|
|---------|-------------|-----------------|------|

Communication and supervision

| | | | |
|---------|---|--|---|
| 0261 78 | Web servers for 32 metering points (meters or multi-function measuring units) | | 1 |
| 0261 79 | Web servers for an unlimited number of metering points (meters or multi-function measuring units) | | 1 |
| 0261 88 | Legrand Software For 32 metering points (supplied on CD) | | 1 |
| 0261 89 | Legrand Software For an unlimited number of metering points (supplied on CD) | | 1 |



0261 78

Panel board display

| | | | |
|---------|---|-------|---|
| 0261 56 | Allows to chek information comming from different protection devices: DX ³ -HP, DPX ³ , DMX ³ or EMDX ³ | 19938 | 1 |
|---------|---|-------|---|



0261 56

Residual current relay

| | | | |
|---------|---|-------|---|
| 0260 88 | Residual current relay to clip on module 2 rail 1 | 19236 | 1 |
|---------|---|-------|---|



0260 88

Coils

| | | | |
|---------|---------------------|--|---|
| 0260 92 | Coil Ø35 mm | | 1 |
| 0260 93 | Coil Ø80 mm | | 1 |
| 0260 94 | Coil Ø110 mm | | 1 |
| 0260 95 | Coil Ø140 mm | | 1 |
| 0260 96 | Coil Ø210 mm | | 1 |
| 0260 97 | Coil Ø150 mm - open | | 1 |
| 0260 98 | Coil Ø300 mm - open | | 1 |



0260 93 coil for use with relay



0260 98

Residual current relay and coils

Measurement and control of electric equipment

| | | | |
|---------|---------------------------------|--|------|
| 0261 35 | Central position | | 1/2 |
| 0261 37 | Microprocessor interface | | 1/3 |
| 0261 36 | Interface signaling and control | | 1/2 |
| 0261 45 | Kit configurator | | 1/4 |
| 0466 23 | Stabilized power | | 1/20 |



0261 37

DPX³ automatic transfer switch

DPX³ ready-to-install ATS kit without MCCBs

| | | | |
|----------|---|--------|---|
| 6253 80* | Ready to use assembly for DPX ³ 160 | 255240 | 1 |
| 6253 81* | Ready to use assembly for DPX ³ 160 & DPX ³ 250 | 255240 | 1 |
| 6253 82* | Ready to use assembly for DPX ³ 250 | 277930 | 1 |
| 6253 87* | Ready to use assembly for DPX ³ 630 | 305594 | 1 |
| 6253 93 | Kit assembly for ATS for DPX ³ 160 | 17468 | 1 |
| 6253 94 | Kit assembly for ATS for DPX ³ 250 | 22054 | 1 |
| 6253 95 | Kit assembly for ATS for DPX ³ 630 | 28934 | 1 |



6253 93

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.